

**Trillion Trees Australia**  
Native Plant Nursery

# NURSERY PRICE LIST

**2025/26**





## TRILLION TREES COMMUNITY NURSERY

Trillion Trees Australia is a registered not for profit organisation committed to restoring landscapes, rebuilding habitat for wildlife and empowering people to take tangible action against the impacts of climate change. Our Community Nursery is powered by volunteers, supported by a small, experienced staff team. Up to 100 volunteers from diverse backgrounds join us each week to grow and nurture over 200,000 native trees and plants every year. Founded in 1979 as Men of the Trees, Trillion Trees Australia has a long established reputation for producing healthy, native tubestock. All proceeds from plant sales are used to support our restoration projects, education programs and community nursery.

Get in touch to discuss your next project, or order today from our wide range of native trees, shrubs, groundcovers, grasses and more. If you have a species request which is not included in our price list, please don't hesitate to contact us to see if we can help.



## ORDERS

**Minimum order quantity**

200 tubes

Minimum 20 per species

**Specialty orders**

Contact the nursery to enquire

**Delivery**

Perth Metro delivery available

Delivery cost quoted at order

**How to order**

Email [nursery@trilliontrees.org.au](mailto:nursery@trilliontrees.org.au)

or call (08) 9250 3113

**Order by 1 December 2025 for  
delivery in Winter 2026**



Setting the  
Standards



EcoHort  
Certified





## NATIVE PLANT SALES OPEN TO THE PUBLIC

The Trillion Trees Australia community nursery is open to the public every Thursday and Friday, with a range of native trees and plants seasonally available. Detailed plant information and photos are provided for all plants on sale, and the Trillion Trees Australia team are on hand to provide advice and guidance on growing a native garden at home.

To make selecting native species as easy as possible, we've curated our selection into size, and highlighted popular applications such as pollinator attracting, cockatoo friendly, frog habitat, drought tolerant and verge gardens. Seasonal specials and bundles are often available.

All proceeds from plant sales are used to support our WA restoration projects, education programs and community nursery.



## NATIVE PLANT SALES

**Open to the public**  
Thursday & Friday only  
9am-2pm

**Tubestock**  
\$6 each  
\$4.50 (100+ units)

\$15 130mm pots

EFTPOS Available

**Species subject to availability**

Lot 2 Stirling Crescent  
(corner Amherst Rd)  
Hazelmere WA



Setting the  
Standards



EcoHort  
Certified

Plant Name		Common Name	Height (m)	Flower colour	Flower time	Habitat & other information	Price each ex GST
Acacia	acuminata	Jam Wattle	1-7m	Yellow	Jul to Oct	Variety of soils and habitats.	2.40
Acacia	alata	Winged Wattle	1.5m	Yellow	May to Sep	Variety of soil types, near streams, clay flats.	2.90
Acacia	celastrifolia	Glowing Wattle	1-3m	Yellow	Apr to Aug	Frequently on lateritic soils.	2.90
Acacia	cyclops	Red-eyed Wattle	0.8-4m	Yellow	Sept to May	White/grey sand. Coastal sand dunes & limestone.	2.90
Acacia	dentifera	Toothed Acacia	0.6-3m	Yellow	Aug - Nov	Often in lateritic or granitic gravelly soils.	2.90
Acacia	drummondii	Drummond's Wattle	0.3-1m	Yellow	Jun to Oct	Sand, gravelly soils, laterite.	2.90
Acacia	extensa	Wiry Wattle	0.5-1.2m	Yellow	Aug - Oct	Sandy & sandy lateritic soils. Damp areas, watercourses, near swamps.	2.90
Acacia	lasiocarpa	Dune Moses	0.5-1.5m	Yellow	May - Oct	Variety of soils, laterite. Winter-wet areas, swamps, coastal dunes & flats. Clay loam or sandy loam, granite.	2.90
Acacia	microbotrya	Manna Wattle	to 7m	Yellow/cream	Mar - Aug	Outcrops, near watercourses, salt lakes.	2.90
Acacia	nervosa	Rib Wattle	40cm	Yellow	Jun to Oct	Gravelly clay or sandy lateritic soils. Sandy soils, clay loam over laterite.	2.90
Acacia	pulchella	Western Prickly Moses	0.3-3m	Yellow	May - Dec	Low-lying areas, swamps. Saline or alkaline loam, clay, clay	2.90
Acacia	redolens (low form)	Vanilla Wattle	.5m	Yellow	Aug-Oct	loam or sand. Variety of habitats.	2.40
Acacia	saligna	Golden Wreath Wattle	1.5-6m	Yellow	July - Nov	Lateritic soils, white, grey or yellow sand. Jarrah forest, sand dunes.	2.40
Allocasuarina	fraseriana	Common Sheoak	5-15m	Reddish brown	May - Oct	Associated with granite.	2.40
Allocasuarina	huegeliana	Rock Sheoak	4-10m	Red/brown	May - Jan	Sand, often over laterite, sandy clay, gravel. Sandplains, sand dunes.	2.40
Allocasuarina	humilis	Dwarf Sheoak	0.2-2m	Red/orange - brown	May - Nov	Red sandy soils, rocky loam, limestone. Undulating plains.	2.40
Alyogyne	hakarifolia	Native Hibiscus	1-3m	Blue/purple	May to Feb	Calcareous sands, clay, laterite, granite, limestone.	2.90
Alyogyne	huegelii	Native Hibiscus	4m	White/cream/red/blue/purple Yellow-green	Jun to Jan	Grey or yellow sand, clay, gravel. Drainage lines, fringing wetlands.	2.90
Anigozanthos	flavidus	Tall Kangaroo Paw	0.5-3m	brown-red	Nov to Jan	White, yellow or grey sand, sandy loam.	2.40
Anigozanthos	marginatus	Red & Green Kangaroo Paw	0.2-1.1m	Green and red	Aug - Nov	Sand, loam, clay.	2.40
Anigozanthos	viridis	Green Kangaroo Paw	0.5m	Yellow-green	Aug - Apr		2.40
Astartea	scoparia	Common Astartea	1.8m	White	Dec to Feb	Loam, sand.	2.40
Atriplex	nummularia	Old Man Saltbush	1-3m	Cream	Jun to Aug	Clay, sandy loam.	2.40

<b>Austrostipa</b>	elegantissima	Feather speargrass	to 2m	White	Sep to Mar	Clay, loam sand.	2.90
<b>Banksia</b>	ashbyi dwarf	Ashby's Banksia	1.5m	Yellow-orange	April-Dec	Most soil types.	2.90
<b>Banksia</b>	attenuata	Candle Banksia	0.4-10m	Yellow	Oct to Feb	Sand, sometimes over laterite. Sand dunes, sandplains.	2.90
<b>Banksia</b>	blechnifolia	Ground cover Banksia	0.2-0.5m	Orange Brown		Sandy soil.	2.90
<b>Banksia</b>	grandis	Bull Banksia	1.5-10m	Yellow-green	Sep to Jan	White or grey sand, laterite.	2.90
<b>Banksia</b>	littoralis	Swamp Banksia	1.5-12m	Yellow/orange- yellow	Mar to Aug	Low-lying, seasonally damp areas, along watercourses.	2.90
<b>Banksia</b>	menziesii	Firewood Banksia	1.3-7m	Pink /red/yellow	Feb to Oct	White, grey or yellow sand.	2.90
<b>Banksia</b>	menziesii dwarf		to 1.5m				2.90
<b>Banksia</b>	prionotes dwarf	Acorn Banksia	to 1.5m	Cream & orange	Feb to Aug	Sandy loam, brown clay, laterite, granite. Sand dunes, undulating slopes.	2.90
<b>Banksia</b> <b>Baumea see</b> <b>Machaerina</b> <b>Billardiera</b>	telmatiaea	Swamp Fox Banksia	0.5-2m	Yellow/orange- brown	Apr to Aug	Grey sand, sandy clay. Winter-wet areas, swamps.	2.90
	fusiformis	Australian Bluebell	Climber	Blue/white/pink	Nov to Feb	Coastal areas, disturbed water crossing sites.	2.90
<b>Bolboschoenus</b>	caldwellii	Marsh Club-Rush	0.3-1.2m	Yellow/brown	Aug to Mar	White or grey sand, mud, saline silt, sandy clay. Swamps, drains, brackish river edges, salt marshes.	2.40
<b>Brachyscome</b>	iberidifolia	Swan River Daisy	40cm	Mauve, purple, white	Aug to Dec	Variety of soils.	2.40
<b>Callistachys</b>	lanceolata	Native Willow	1.5-7m	Orange-yellow	Sep to Jan	Sandy soils. In damp areas: along watercourses, swamps.	2.40
<b>Callistemon</b>	phoeniceus	Lesser Bottlebrush	1-6m	Red	Sep to Jan	Sandy soils, laterite. Often along watercourses.	2.40
<b>Calothamnus</b>	hirsutus	Hairy Claw Flower	0.3-1.5 m	Red	Sep to Feb	Variety of soils. Ridges, winter-wet depressions.	2.40
<b>Calothamnus</b>	quadridius	One-sided Bottlebrush	0.9-2m	Red/white-yellow	Jun to Dec	Wide variety of soils & habitats.	2.40
<b>Calothamnus</b>	rupestris	Cliff Net Bush/Mouse Ears	0.9-4 m	Pink-red	Jul to Dec	Gravelly skeletal soils. Granite outcrops & rocks, hillsides.	2.40
<b>Calothamnus</b>	sanguineus	Silky Leaved Blood Flower	0.2-2m	Red	Mar to Nov	Sandy or lateritic soils. Sandplains, limestone ridges, rocky outcrops.	2.40
<b>Carex</b>	appressa	Tall Sedge	1m	Brown	Sep to Oct	Along watercourses and damp areas.	2.90
<b>Carpobrotus</b>	virescens	Pigface	0.1-0.3m	Purple-pink/white	Jun to Jan	White, grey or brown sand. Coastal limestone cliffs & dunes.	2.90
<b>Casuarina</b>	obesa	Salt Sheoak	1.5-10 m		Jan to Dec	Sand, clay, often in brackish or saline situations. Along rivers, creeks, salt lakes.	2.40

<b>Centella</b>	asiatica	Centella	0.05-4m	Pink /purple-red/white	Aug to Apr	Often in winter-wet depressions.	2.90
<b>Chorizema</b>	cordatum	Heart leaved Flame Pea	0.3-1.5 m	Yellow & orange & red/pink,	Jul to Dec	Sandy gravel, sandy loam or clay, over granite or laterite. Rock outcrops, watercourses, winter-wet flats.	2.40
<b>Conostylis</b>	aculeata	Prickly Conostylis	0.06-0.5m	Yellow	Aug to Nov	Variety of soils. Winter-wet areas, swamp margins, drainage areas, ditches, sand dunes.	2.40
<b>Conostylis</b>	candicans	Grey Cotton heads	0.05-.4m	Yellow	Jul to Nov	Sand, sandy loam, limestone. Coastal dunes, sand dunes.	2.40
<b>Corymbia</b>	calophylla	Marri	to 40m	White/pink	Dec to May	Clay loam, sandy clay, gravel, grey sand over limestone, granite, laterite. Flats, hills, wetlands.	2.40
<b>Corymbia</b>	ficifolia	Red Flowering Gum	2 - 10m	Red-orange	Dec to May	White/grey sand or sandy loam, often with gravel. Hillslopes.	2.90
<b>Darwinia</b>	citriodora	Lemon-Scented Myrtle	0.2-1.5m	Yellow-green/red	May to Dec	Lateritic or granitic soils. Granite outcrops, hills.	2.90
<b>Daviesia</b>	cordata	Bookleaf	0.5-2m	Yellow-orange and Red-Brown	July to Dec	Lateritic or granitic soils.	2.40
<b>Daviesia</b>	decurrens	Prickly Bitter-pea	to 1m	Orange & red	June to Sep	Loam over clay, laterite.	2.90
<b>Dianella</b>	revoluta	Blueberry Lilly	0.3-1.5m	Blue-purple-violet	Aug to Apr	Variety of soils, laterite, granite, limestone.	2.90
<b>Eremophila</b>	glabra	Tar Bush	0.1-3 m	Green-yellow-orange-red-brown,	Mar to Dec	Most soils. Winter-wet depressions, sandplains & dunes.	2.90
<b>Eremophila</b>	m aculata	Native Fuchsia	0.3-3m	Red-orange- yellow/pink White-cream	May to Sept	Clay, sandy loam, sandy.	2.90
<b>Eucalyptus</b>	accedens	Powderbark Wandoo Silver Princess	2.60-15m	white-cream- yellow Pink/red	Dec to Apr	Lateritic gravelly soils, clay loam. Usually on lateritic breakaways or stony ridges	2.40
<b>Eucalyptus</b>	caesia spp caesia	Silver Princess	to 6m	Pink/red	May to Sept	Loam .	2.40
<b>Eucalyptus</b>	caesia ssp magna	Drummond's Gum	(Mallee) 3 – 10m		May to Sept	Loam .	2.40
<b>Eucalyptus</b>	drummondii		To 8 m	White-cream	Jan to Dec	Gritty loam, gravel, clay over laterite, granite. Sandplains, hills, road verges.	2.40
<b>Eucalyptus</b>	erythrocorys	Red-capped Gum	3-8m	Yellow	Feb to Apr	Sandy soils. Limestone ridges & outcrops.	2.40
<b>Eucalyptus</b>	erythronema	Red-flowered Mallee	2-6m	Red/pink/cream-white	Jul to Feb	Sand or clayey soils, gravel, laterite.	2.40
<b>Eucalyptus</b>	forrestiana	Fuchsia Gum	1.5-6m	Yellow	Jan to Jun	White or grey/yellow clay, sandy clay, grey sand. Sandplains, near salt lakes.	2.40
<b>Eucalyptus</b>	gomphocephala	Tuart	10-40m	White	Jan to Apr	Sand over limestone. Coastal plains.	2.40



<b>Eucalyptus</b>	kingsmillii	Kingsmill's Mallee	1.5-8m	White-cream-yellow-pink-red	Apr to Oct	Red or yellow sand, skeletal soils over sandstone or ironstone. Rocky rises, sandplains.	2.40
<b>Eucalyptus</b>	kuseana	Book-leaf Mallee	3.5m	Greenish-yellow	June to Sep	Sandy loam soils.	2.40
<b>Eucalyptus</b>	laeliae	Darling Range Ghost Gum	5-20m	White	Dec to Feb	Sandy clay, sandy loam. Granite outcrops & hills.	2.40
<b>Eucalyptus</b>	lane-polei	Salmon White Gum	3-12m	White-cream	Jan to Sep	Sandy loam or sand, often with gravel over laterite or granite. Slopes, creek bank s.	2.40
<b>Eucalyptus</b>	loxophleba	Yandee/York Gum	To 15m	White	Jul to Feb	Variety of soils near outcrops, flats, rises, slopes, hilltops, near salt lakes, along drainage lines.	2.40
<b>Eucalyptus</b>	macrocarpa	Mottlecah	0.8-5m	Red-pink	Aug to Jun	White or grey sand or sandy loam over laterite. Hillslopes, ridges, sandplains.	2.40
<b>Eucalyptus</b>	marginata	Jarrah	To 40m	White-cream/pink	Jun to Jan	Grey sand, clay or sandy loam, laterite. Hills, rises.	2.90
<b>Eucalyptus</b>	patens	Yarri/Swan River Blackbutt	3-25m	White/cream	Jul to Feb	Gravelly soils, sandy clay, loam. Depressions, stream banks, valleys.	2.40
<b>Eucalyptus</b>	preissiana	Bell-fruited Mallee	To 3m	Yellow	May to Nov	Sand, sandy clay or gravel, laterite, limestone. Coastal & subcoastal areas.	2.40
<b>Eucalyptus</b>	pyriformis	Pear-fruited Mallee	1.5-5m	Red/white-cream-yellow	May to Oct	White, grey or yellow sand, laterite. Plains, hillslopes.	2.40
<b>Eucalyptus</b>	rhodantha	Rose Mallee	4m	Pink or red	July to Jan	Sandy or gravelly soils.	2.90
<b>Eucalyptus</b>	rudis	Flooded Gum	5-20m	White	Jul to Sep	Sandy or loam soils. Creeklines, flats, hillsides.	2.40
<b>Eucalyptus</b>	salmophloia	Salmon Gum	4-30m	White-cream	Aug to Dec	Red clay loam or clay, red sand, often with gravel. Plains & low hills.	2.40
<b>Eucalyptus</b>	salubris	Gimlet	4-15m	White-cream	Sep to Mar	Red clay loam or loam, yellow or red sand, laterite. Undulating plains, slopes.	2.40
<b>Eucalyptus</b>	sargentii	Salt River Gum	3-12m	White/yellow-cream	Aug to Jan	Yellow sand, sandy clay or clay, grey loam. Salt swamps & flats, along creek lines, flood plains,	2.40
<b>Eucalyptus</b>	stoateii	Scarlet Pear Gum	2-7.5m	Yellow	Jul to Feb	Gravelly sand or clay, sandy loam.	2.40
<b>Eucalyptus</b>	synandra	Jingymia Mallee	(Mallee), 3.5-10 m	Cream and pink	Aug to Mar	Sandy & lateritic soils.	2.40
<b>Eucalyptus</b>	tetraptera	Four-winged Mallee	(Straggly mallee), 1-3 m	Pink /red	Jun - Dec	White or grey sand. Coastal & subcoastal sandplains, granite outcrops.	2.40
<b>Eucalyptus</b>	totiana	Coastal Blackbutt	2-8m	White-cream	Jan to Apr	White/grey or yellow sand, often over laterite. Coastal sandplains.	2.40
<b>Eucalyptus</b>	torquata	Coral Gum	4-11m	Pink-red	Aug to Dec	Stony loam or clay, red sand. Hillsides.	2.40

<b>Eucalyptus</b>	wandoo	W andoo	3-25m	W hite-cream	Dec to May	Sandy loam, clay loam, gravel, laterite, granite. Stony rises, undulating terrain.	2.40
<b>Eutaxia</b>	myrtifolia	Eggs and Bacon	to 2m	Orange-yellow/red	Feb to Dec	Peaty sand, sandy clay loam, gravel, granite. Rocky outcrops, coastal wetlands, swamps, creekbanks.	2.90
<b>Ficinia</b>	nodosa	Knotted Club rush	to 1m	Brown/cream.	Oct to Jan	White sand, dark sandy clay, granite, limestone. Coastal dunes, flats, seasonally-wet swamplands.	2.40
<b>Gastrolobium</b>	capitatum	Eggs and Bacon	1m	Yellow and red/brown	June to Sep	Variety of soils.	2.40
<b>Gastrolobium</b>	ebracteolatum	Narrow-leaf Gastrolobium	4m	Yellow	Sep to Jan	Loam, sandy loam.	2.40
<b>Goodenia</b>	varia	Sticky Goodenia	20cm	Yellow W	Oct to Nov	sandy, coastal dunes and limestone.	2.90
<b>Grevillea</b>	crithmifolia		50cm	hite Red/red-	June to Nov	Sandy, limestone.	2.90
<b>Grevillea</b>	obtusifolia	Gingin Gem	0.2-2m	pink	Apr to Nov	Sand, often damp, sandy clay.	2.90
<b>Grevillea</b>	olivacea	Olive Grevillea	1-4.5m	Red/red-pink	Jun to Sep	White or grey sand. Coastal dunes, limestone rocks.	2.90
<b>Grevillea</b>	preissii		0.15-1.7m	Red	Jun to Sep	White, grey or yellow sand, sandy clay, limestone. Ridges & outcrops, seasonally wet areas.	2.90
<b>Grevillea</b>	thelemanniana	Spider Net Grevillea	0.3-1.5m	Pink-red	May to Nov	Sand, sandy clay. Winter-wet low-lying flats.	2.90
<b>Guichenotia</b>	ledifolia	Pink Paper Bells	0.4-1.5m	Blue-purple/pink	Jul to Oct	Sandy, rocky clay. Coastal limestone, sandplains, granite rocks.	2.90
<b>Guichenotia</b>	m acrantha	Large Flowered Guichenotia	0.2-1.5 m	Blue-purple/pink	May to Sep	Sandy soils over granite or sandstone or limestone. Sandplains, lateritic breakaways, coastal cliffs, hills.	2.90
<b>Hakea</b>	laurina	Pincushion Hak ea	2-6m	Red	Apr - Aug	Sand, sandy clay. Winter-wet low-lying flats.	2.90
<b>Hakea</b>	lissocarpha	Honey Bush	0.4-1.5m	White-cream yellow pink	May - Sep	White, grey or yellow sand, sandy loam, granitic soils, laterite.	2.90
<b>Hakea</b>	petiolaris	Sea Urchin Hak ea	To 9m	Pink & cream	Mar to Jul	Loam, granite. Outcrops.	2.90
<b>Hakea</b>	prostrata	Harsh Hakea	1-3m	W hite-cream	Jul to Oct	Sandy soils, often over laterite, loam, gravel. Hillslopes, granite outcrops, coastal dunes.	2.90
<b>Hakea</b>	trifurcata	Two-leafed Hak ea	1.5-3m	White/cream-pink	Apr to Oct	White, grey/brown sand over limestone or laterite, loam, gravel.	2.90
<b>Hakea</b>	undulata	Wavy-leaved Hak ea	1-2m	White	Jul to Oct	White or grey sand, clay, loam, gravel, laterite.	2.90
<b>Hakea</b>	varia	Variable-leaved Hak ea	1-4m	W hite-cream/yellow	Jul to Nov	White, grey or red loamy sand, clay loam, laterite. Seasonally-wet flats.	2.90
<b>Hardenbergia</b>	comptoniana	Native Wisteria	Twining shrub or climber	Blue-purple white	Jul to Oct	Sandy soils. Coastal limestone, sandplains, dunes.	2.40



<b>Hemiandra</b>	pungens	Snake Bush	0.5-1m	White/blue-purple/pink	Jan to Dec	Sand, clay and loam, gravel, laterite, granite. Rock outcrops.	2.90
<b>Hypocalymma</b>	angustifolium	White Myrtle	To 1.5m	White-cream	Jun to Oct	Grey to white sand, peaty soils, sandy clay, sandstone. Flats, swamps, along watercourses, hillsides.	2.90
<b>Jacksonia</b>	furcellata	Grey Stinkwood	0.4-4m	Yellow-orange red	Oct to Mar	Sandy soils. Sandplains, rises, swampy depressions, riverbanks.	2.90
<b>Jacksonia</b>	sternbergiana	Green Stinkwood	1.5-5m	Yellow-orange	Jan to Dec	Along rivers & creeks, near swamps, flats, dunes.	2.40
<b>Juncus</b>	kurassii	Sea Rush	0.3-1.2m	Brown/red	Oct to Jan	White or grey sand, clay, alluvium. Swamps, brackish estuaries, saline flats.	2.40
<b>Juncus</b>	pallidus	Pale Rush	0.5-2m	Green	Oct to Dec	Clay. Swamps, watercourses.	2.40
<b>Kennedia</b>	coccinea	Coral Vine	Twining shrub or climber	Orange-pink, red, pink-purple	Aug to Nov	Often sandy soils.	2.40
<b>Kennedia</b>	prostrata	Scarlet Runner	Prostrate or twining shrub	Red	Apr to Nov	Usually sandy gravelly soils.	2.40
<b>Kunzea</b>	glabrescens	Spearwood	1.5-4m	Yellow	Oct to Nov	Clay, sandy soils. Edges of swamps, lakes, rivers, moist depressions.	2.40
<b>Kunzea</b>	recurva	Pink Kunzea	0.3-2m	Pink/purple-red	Aug to Dec	Variety of soils. Winter-wet depressions, rocky slope	2.40
<b>Leptospermopsis</b>	sericea	Silver Teatree	1 - 2.5 m	Pink	Aug to Oct	Variety of moist soils, in part or full sun.	2.90
<b>Lobelia</b>	anceps	Angled Lobelia	1.2m	Blue/blue-purple/white	Dec to Feb	Sandy loam, grey sand, wet brown peaty sand, gravel, granite, limestone.	2.40
<b>Lysiandra</b>	calycina (was Phyllanthus calycinus)	False Boronia	0.2-1.2 m	White-cream/pink	Jun to Jan	Often sandy soils.	2.40
<b>Machaerina (Baumea)</b>	articulata	Jointed Rush	1-2.6 m	Red/brown	Jan to Dec	Wet, black sand, waterlogged soils. Seasonal swamps, borders of lakes	2.90
<b>Machaerina (Baumea)</b>	rubiginosa	River Twig Sedge	1.6m	Brown	Aug to Mar	Watercourses and swamps in mud or shallow water.	2.90
<b>Melaleuca</b>	conothamnoides		0.3-1.5m	Purple-pink	Apr to Nov	Yellow sand, loam, laterite. Sandplains.	2.40
<b>Melaleuca</b>	cuticularis	Saltwater Paperbark	1-7m	White-cream	Aug to Nov	Alluvium, sand, clay. Winter-wet depressions, salt lakes, coastal areas, along watercourses.	2.40
<b>Melaleuca</b>	fulgens		0.4-3m	Red-pink/white	Jul to Nov	Sandy soils over granite or sandstone. Granite outcrops, sandplains. Red-grey-brown sand, sandy clay over	2.40
<b>Melaleuca</b>	incana	Grey Honey Myrtle	0.4-5m	White-cream-yellow	May to Nov	ironstone. Seasonally wet flats & depressions, swamps. Clay, Sandy loam, sandy clay, granite.	2.40
<b>Melaleuca</b>	lateritia	Robin Redbreast Bush	to 2.60m	Red-orange	Sep-Apr	Swampy areas.	2.40
<b>Melaleuca</b>	nesophila	Snowy Honey Myrtle	0.6-2.60m	Pink-purple	Sep to Jan	Sandy soils.	2.40

<b>M elaleuca</b>	parviceps	Rough Honey-myrtle	1.2m	Pink	Sep to Dec	Variety of soils.	2.40
<b>M elaleuca</b>	preissiana	Stout Paperback	2-9m	Yellow-cream-white	Nov to Feb	Sandy soils. Swamps.	2.40
<b>M elaleuca</b>	pulchella	Claw Flower	0.3-1.7m	Pink-purple	May to Mar	Sandy soils. Sandplains, sand dunes, swamps, depressions.	2.40
<b>M elaleuca</b>	radula	Graceful Honey Myrtle	0.3-2.4m	Pink-purple/white	Jul to Nov	Sandy, often gravelly soils over granite or laterite. Associated with granite rocks or watercourses.	2.40
<b>M elaleuca</b>	rhaphiophylla	Swamp Paperback	0.2-10m	White-cream	Jul to Jan	White or grey sand, clay soils, limestone. Saltmarshes, swamps, along watercourses.	2.40
<b>M elaleuca</b>	scabra	Rough Honey Myrtle	0.2-1.5m	Pink-red-purple	Jan to Dec	Sandy or clay, often lateritic soils.	2.40
<b>M elaleuca</b>	seriata		0.25-1m	Pink-purple-red	Aug to Dec	White, grey or yellow sand over laterite or clay, clay loam. Ridges, sandplains, winter-wet depressions.	2.40
<b>M elaleuca</b>	systema	Coastal Honey Myrtle	0.5-2m	Yellow-cream	Feb to Dec	Sand over laterite, yellow/orange sand over limestone. Coastal stabilised dunes & rocky limestone.	2.40
<b>M elaleuca</b>	teretifolia	Banbar	1-5m	White cream pink	Oct to Mar	Sandy soils, clay. Winter-wet depressions, swamps.	2.40
<b>M elaleuca</b>	trichophylla	Rough Honey Myrtle	0.15-1m	Pink-purple	Aug to Dec	White/grey/orange sand, gravel, laterite. Sandplains, hillsides.	2.40
<b>M elaleuca</b>	viminea	Mohan	0.6-5m	White-cream	Jul to Nov	Sandy or clayey soils. Near creeks or wet depressions, along watercourses, rocky coastal areas, flats.	2.40
<b>Orthrosanthus</b>	laxus	Morning Iris	50cm	Blue/purple	Aug to Nov	Sandy soil.	2.90
<b>Paraserianthes</b>	lophantha	Albizia	1-10m	Yellow/green-yellow	Apr to Oct	Sandy or granitic soils. Winter-wet depressions, near creeks or swamps, granite outcrops.	2.40
<b>Patersonia</b>	occidentalis	Purple Flag	To 1.5m	Purple	Aug to Jan	Sand or sandy clay, clayey loam, gravel, laterite, granite, limestone.	2.40
<b>Pericalymma</b>	ellipticum	Swamp Teatree	to 3m	White-pink	Oct to Jan	Winter-wet areas, dunes. Leached sand with some clayey sands, lateritic soils.	2.40
<b>Pimelea</b>	ferruginea	Rice Flower	0.3-1.5m	Pink	Aug to Feb	Grey or white sand. Coastal sand dunes & rocky headlands (limestone & granite).	2.90
<b>Poa</b>	poiformis	Coastal Tussock Grass	1.2m	Green/yellow	Oct to Nov	Sandy, granite, sandy loam.	2.40
<b>Regelia</b>	ciliata		0.8-2m	Pink-purple	Jan to Dec	White or grey sand. Winter-wet depressions.	2.40
<b>Regelia</b>	inops		0.75-2m	Pink-purple-blue	Jan to Dec	Sandy soils. Winter-wet depressions, sandplains.	2.40
<b>Rhagodia</b>	baccata	Berry Saltbush	0.3-2m	Cream-yellow/green	Intermittent all year	White-grey sand, limestone, granite. Sand dunes, coastal rocky areas, hills.	2.40

<b>Ricinocarpos</b>	glaucus	Wedding Bush	0.5-3m	White	Sep to Oct	Sandy, loamy, lateritic, granitic soils.	2.90
<b>Scaevola</b>	crassifolia	Thick Leaved Fan Flower	0.1-1.5m	Blue/white	Jul to Feb	Sand. Coastal dunes, plains & limestone cliffs.	2.90
<b>Stylobasium</b>	australe		2m	Green/yellow/brown Pink-purple	Aug to Oct Apr to June or	Clay loam, sand, sandy clay, winter-wet areas	2.40
<b>Thomasia</b>	purpurea		0.3-1.2m		Aug to Dec	Sand over limestone or granite or laterite, loam.	2.90
<b>Thryptomene</b>	saxicola	Rock Thryptomene	1m	Pink	most of the year	Sandy or loamy soils, granite outcrops.	2.90
<b>Trymalium</b>	ledifolium	Star Buckthorn	to 2.60m	White	June to Nov	Variety of soils.	2.40
<b>Trymalium</b>	odoratissimum	Karri Hazel	2-5m	Creamy white	Jul to Oct	Variety of soils.	2.40
<b>Viminaria</b>	juncea	Swish Bush	1-4m	Yellow	Oct to Jan	Sandy & clay soils. Near lakes & swamps, river banks, winter-wet depressions.	2.40
<b>Xanthorrhoea</b>	preissii	Grass Tree	To 5m	White-cream	Jun to Dec	Dark sands, loam, gravelly sandy clay, laterite, granite. Ranges, coastal plain, near watercourses.	2.90



# TERMS OF TRADE

## **Quotes Validity**

Quotes are valid for 30 days from the date of issue, unless otherwise specified. Please note, quotes do not guarantee product availability at the time of ordering.

## **Quote Acceptance**

To proceed with a quote, kindly confirm acceptance in writing via email.

## **Deposits**

For orders over \$1,000 ex gst a 30% deposit is required to secure the order. The order is only considered secured once payment of the deposit has been made.

## **Final Payment**

An invoice for the remaining balance will be issued closer to the delivery or collection date. Full payment must be received prior to collection or delivery unless other arrangements have been agreed upon.

## **Payment Methods**

We prefer direct deposit for payments. Visa and MasterCard are also accepted, though a merchant fee will apply for these transactions.

## **Delivery & Collection Notice**

A minimum of 3 business days' notice is required for deliveries or collections to allow us to finalise and prepare your plant order.

## **Availability of Plants**

Plant orders are subject to availability. In some cases, substitutions may be necessary due to stock limitations or failures. We will always endeavour to provide a suitable alternative when required.

## **Refunds**

Refunds will be offered only if we are unable to supply the ordered stock and a suitable substitution cannot be provided.

## **Order Collection**

Orders must be collected within a reasonable time from the agreed date. Orders held beyond this period may incur a daily holding fee of \$25 ex GST per day per order.

## **Risk and Responsibility**

Trillion Trees Australia is not liable for any loss, damage, or deterioration of plants if they are not collected by the agreed collection date.

## **Force Majeure**

We will not be held responsible for any delay or loss resulting from events beyond our control including pest and disease outbreak, pandemics, regulations imposed by government or local authorities, and/or extreme climate events.

## **Plant Authenticity**

To the best of our knowledge, all plants sold will be true to name and description.

## **Pots and Trays**

To support sustainability, we reuse pots and trays. We kindly ask that they be returned where possible. Collection of used pots can be arranged.

## **Biosecurity Policy**

We regret that plants cannot be returned once they have left the nursery.

## **Order Acceptance**

All orders are subject to acceptance by Trillion Trees Australia. We reserve the right to refuse any order for any reason.

## **Amendments and Cancellations**

Requests for amendments or cancellations to orders must be made in writing and will require approval from Trillion Trees Australia.

## **Delivery Timing**

We will make every effort to deliver goods on the agreed date. However, please note that delivery times are estimates and may be subject to change.

## **Responsibility for Redelivery**

If the customer is unable to take delivery on the agreed date, any costs incurred for re-delivery will be the customer's responsibility.

## **Risk Transfer**

The risk of damage to plants transfers to the customer upon delivery.

## **Modifications to Terms**

Trillion Trees Australia reserves the right to update or modify these terms at any time.

[www.trilliontrees.org.au](http://www.trilliontrees.org.au)



September 2025