

Trillion Trees Australia  
Native Plant Nursery



# NURSERY CATALOGUE

Wholesale Orders

**2023/24**





## MEET THE NEW NURSERY TEAM

We've welcomed a new nursery team this year. Meet Donna Canci, Nursery Manager, and Kat Doherty, Assistant Nursery Manager. Donna and Kat are both passionate about Australian native species and will continue to deliver the high quality, competitively priced wholesale stock Trillion Trees Australia is known for. Get in touch to discuss your next project, or order today from our wide range of trees, shrubs, groundcovers, grasses and more.



## ORDERS

**Minimum wholesale quantity**  
100 tubes.

**Small or specialty orders**  
Contact the nursery to enquire.

**Delivery**  
Metro delivery available.  
Delivery cost quoted at order.

**How to order**  
Email [nursery@trilliontrees.org.au](mailto:nursery@trilliontrees.org.au)  
or call (08) 9250 3113



Plant Name		Common Name	Height (m)	Flower colour	Flower time	Habitat & other information	Cost excl GST	Cost excl GST
							100-3000	>3000
<b>Acacia</b>	<b><i>acuminata</i></b>	Jam Wattle	1-7m	Yellow	Jul to Oct	Variety of soils and habitats	1.95	1.85
<b>Acacia</b>	<b><i>alata</i></b>	Winged Wattle	1.5m	Yellow	May to Sep	Variety of soil types, near streams, clay flats.	1.95	1.85
<b>Acacia</b>	<b><i>aphylla</i></b>	Leafless Rock Wattle	2-3m	Yellow	Aug to Oct	Sand, loam, clay loam. Granite outcrops, hills.	1.95	1.85
<b>Acacia</b>	<b><i>celastrifolia</i></b>	Glowing Wattle	1-3m	Yellow	Apr to Aug	Frequently on lateritic soils.	1.95	1.85
<b>Acacia</b>	<b><i>cyclops</i></b>	Red-eyed Wattle	0.8-4m	Yellow	Sept to May	White/grey sand. Coastal sand dunes & limestone	1.95	1.85
<b>Acacia</b>	<b><i>denticulosa</i></b>	Sandpaper Wattle	1-4m	Yellow	Sept to Oct	Sand, loam, clay. Granite outcrops, rarely on sandplains.	2.50	2.30
<b>Acacia</b>	<b><i>dentifera</i></b>	Toothed Acacia	0.6-3m	Yellow	Aug - Nov	Often in lateritic or granitic gravelly soils.	1.95	1.85
<b>Acacia</b>	<b><i>extensa</i></b>	Wiry Wattle	0.5-1.2m	Yellow	Aug - Oct	Often on sandy & sandy lateritic soils. Damp areas, along watercourses, near swamps.	1.95	1.85
<b>Acacia</b>	<b><i>glaucoptera</i></b>	Clay Wattle	1.2m	Yellow	Sep to Dec	Gravelly clay	1.95	1.85
<b>Acacia</b>	<b><i>huegelii</i></b>		1m	White/cream	Jul-Dec	Lateritic gravel, Sand, Sand dunes	2.15	2.10
<b>Acacia</b>	<b><i>lasiocarpa</i></b>	Dune Moses	0.5-1.5m	Yellow	May - Oct	Variety of soils, laterite. Winter-wet areas, swamps, coastal dunes & flats.	1.95	1.85

Plant Name		Common Name	Height (m)	Flower colour	Flower time	Habitat & other information	Cost excl GST	Cost excl GST
							100-3000	>3000
<b>Acacia</b>	<b><i>meisneri</i></b>	Blue Wattle	1-4m	Yellow	Nov to Feb	Sand, clay, loam, sometimes rocky soils.	1.95	1.85
<b>Acacia</b>	<b><i>microbotrya</i></b>	Manna Wattle	to 7m	Yellow/cream	Mar - Aug	Clay loam or sandy loam, granite. Outcrops, near watercourses, salt lakes.	1.95	1.85
<b>Acacia</b>	<b><i>nervosa</i></b>	Rib Wattle	40cm	Yellow	Jun to Oct	gravelly clay or sandy lateritic soils	2.50	2.30
<b>Acacia</b>	<b><i>pulchella</i></b>	Western Prickly Moses	0.3-3m	Yellow	May - Dec	Sandy soils, clay loam over laterite. Low-lying areas, swamps, near watercourses.	1.95	1.85
<b>Acacia</b>	<b><i>redolens (low form)</i></b>	Vanilla Wattle	.5m	Yellow	Aug-Oct	Saline or alkaline loam, clay, clay loam or sand.	1.95	1.85
<b>Acacia</b>	<b><i>rostellifera</i></b>	Summer Scented Wattle	1-6m	Yellow	Jul-Oct	Mainly on consolidated sand dunes.	1.95	1.85
<b>Acacia</b>	<b><i>saligna</i></b>	"Coojong", Orange Wattle	1.5-6m	Yellow	July - Nov	Variety of habitats.	1.95	1.85
<b>Acacia</b>	<b><i>saligna prostrate</i></b>		30cm	Yellow	July to Aug	variety of soils	2.15	2.10
<b>Acacia</b>	<b><i>stellaticeps</i></b>		1m	Yellow	Oct-May	Red sand, stony sand, clay. Flats, sand ridges, plains.	1.95	1.85
<b>Acacia</b>	<b><i>tetragonaphylla</i></b>	Dead Finish	to 5m	Yellow	May to Oct	variety of soils	1.95	1.85
<b>Acacia</b>	<b><i>urophylla</i></b>	Pointed Leafed Acacia	3m	Yellow	May to Sep	along watercourses and damp areas	1.95	1.85

Plant Name		Common Name	Height (m)	Flower colour	Flower time	Habitat & other information	Cost excl GST	Cost excl GST
							100-3000	>3000
<i>Adenanthos</i>	<i>cuneatus</i>	Jug Flower	2m	Red	all year	Sandy, Loamy, Sandy loam	2.15	2.10
<i>Agonis</i>	<i>flexuosa</i>	WA Peppermint	To 10m	White	Jul - Sept	Sandy soils, laterite, limestone. Coastal sand dunes, granite outcrops, limestone areas.	1.95	1.85
<i>Allocasuarina</i>	<i>fraseriana</i>	Common Sheoak	5-15m	Reddish brown	May - Oct	Lateritic soils, white, grey or yellow sand. Jarrah forest, sand dunes.	1.95	1.85
<i>Allocasuarina</i>	<i>huegeliana</i>	Rock Sheoak	4-10m	Red/brown	May - Jan	Associated with granite.	1.95	1.85
<i>Allocasuarina</i>	<i>humilis</i>	Dwarf Sheoak	0.2-2m	Red/orange - brown	May - Nov	Sand, often over laterite, sandy clay, gravel. Sandplains, sand dunes.	1.95	1.85
<i>Alyogyne</i>	<i>hakeifolia</i>	Native Hibiscus	1-3m	Blue/purple	May to Feb	Red sandy soils, rocky loam, limestone. Undulating plains.	1.95	1.85
<i>Alyogyne</i>	<i>huegelii</i>	Native Hibiscus	4m	White/cream/red /blue/purple	Jun to Jan	Calcareous sands, clay, laterite, granite, limestone.	1.95	1.85
<i>Anigozanthos</i>	<i>flavidus</i>	Tall Kangaroo Paw	0.5-3m	Yellow-green brown-red	Nov to Jan	Grey or yellow sand, clay, gravel. Drainage lines, fringing wetlands.	1.95	1.85
<i>Anigozanthos</i>	<i>manglesii</i>	Red & Green Kangaroo Paw	0.2-1.1m	Green and red	Aug - Nov	White, yellow or grey sand, sandy loam.	1.95	1.85

Plant Name		Common Name	Height (m)	Flower colour	Flower time	Habitat & other information	Cost excl GST	Cost excl GST
							100-3000	>3000
<i>Anigozanthos</i>	<i>viridis</i>	Green Kangaroo Paw	0.5m	Yellow-green	Aug - Apr	Sand, loam, clay.	1.95	1.85
<i>Astartea</i>	<i>scoparia</i>		1.8m			Loam, sand.	1.95	1.85
<i>Atriplex</i>	<i>isatidea</i>	Coast Salt Bush	0.5-2.5m		Mar to Jun	White sand. Coastal dunes	1.95	1.85
<i>Atriplex</i>	<i>nummularia</i>	Old Man Salt Bush	1-3m			Clay, sandy loam.	1.95	1.85
<i>Austrostipa</i>	<i>elegantissima</i>	Feather speargrass	to 2m	White	Sep to Mar	clay, loam sand	2.50	2.30
<i>Banksia</i>	<i>ashbyi</i>	Ashby's Banksia	2-4m	Yellow-orange	Feb- Dec	Clay, loam sand.	2.50	2.30
<i>Banksia</i>	<i>ashbyi 'dwarf'</i>		1.5m	Yellow-orange	April-Dec	Most	2.50	2.30
<i>Banksia</i>	<i>attenuata</i>	Candle Banksia	0.4-10m	Yellow	Oct to Feb	Sand, sometimes over laterite. Sand dunes, sandplains.	2.50	2.30
<i>Banksia</i>	<i>blechnifolia</i>	Ground cover Banksia	0.2-0.5m	Orange Brown		Sandy soil	2.50	2.30
<i>Banksia</i>	<i>grandis</i>	Bull Banksia	1.5-10m	Yellow-green	Sep to Jan	White or grey sand, laterite	2.50	2.30
<i>Banksia</i>	<i>littoralis</i>	Swamp Banksia	1.5-12m	Yellow/orange-yellow	Mar to Aug	Low-lying, seasonally damp areas, along watercourses	2.50	2.30
<i>Banksia</i>	<i>menziesii</i>	Firewood Banksia	1.3-7m	Pink/red/yellow	Feb to Oct	White, grey or yellow sand	2.50	2.30
<i>Banksia</i>	<i>prionotes</i>	Acorn Banksia	to 10m	Cream & orange	Feb to Aug	Sandy loam, brown clay, laterite, granite. Sandplains, sand dunes, undulating slopes.	2.50	2.30
<i>Baumea</i>	<i>articulata</i>	Jointed Rush	1-2.6 m	Red/brown	Jan to Dec	Wet, black sand, waterlogged soils. Seasonal swamps, borders of lakes	2.50	2.30

Plant Name		Common Name	Height (m)	Flower colour	Flower time	Habitat & other information	Cost excl GST	Cost excl GST
							100-3000	>3000
<i>Baumea</i>	<i>juncea</i>	Bare Twig Rush	0.2-1.2 m	Brown/other	Oct to Mar	Dark grey sand, waterlogged soils	2.50	2.30
<i>Baumea</i>	<i>rubiginosa</i>	River Twig Sedge	1.6m	Brown	Aug to Mar	watercourses and swamps in mud or shallow water	2.15	2.10
<i>Billardiera</i>	<i>fusiformis</i>	Australian Bluebell	Climber	Blue/white/pink	Nov to Feb	Coastal areas, disturbed water crossing sites	2.15	2.10
<i>Bolboschoenus</i>	<i>caldwellii</i>	Marsh Club-Rush	0.3-1.2m	Yellow/brown	Aug to Mar	White or grey sand, mud, saline silt, sandy clay. Swamps, drains, brackish river edges, salt marshes	1.95	1.85
<i>Bossiaea</i>	<i>eriocarpa</i>	Common Brown Pea	40cm	Yellow	Jul to Oct	sandy soils	1.95	1.85
<i>Brachyscome</i>	<i>iberidifolia</i>	Swan River Daisy	40cm	Mauve, purple, white	Aug to Dec	variety of soils	1.95	1.85
<i>Callistachys</i>	<i>lanceolata</i>	Native Willow	1.5-7m	Orange-yellow	Sep to Jan	Sandy soils. In damp areas: along watercourses, swamps.	1.95	1.85
<i>Callistemon</i>	<b>"Kings Park Special"</b>	Bottlebrush	4m	Red	Aug to Nov	most soils	1.95	1.85
<i>Callistemon</i>	<i>phoeniceus</i>	Lesser Bottlebrush	1-6m	Red	Sep to Jan	Sandy soils, laterite. Often along watercourses.	1.95	1.85
<i>Calothamnus</i>	<i>hirsutus</i>		0.3-1.5 m	Red	Sep to Feb	Variety of soils. Ridges, winter-wet depressions	1.95	1.85

Plant Name		Common Name	Height (m)	Flower colour	Flower time	Habitat & other information	Cost excl GST	Cost excl GST
							100-3000	>3000
<i>Calothamnus</i>	<i>lateralis</i>		0.4-1.5m	Red	Jan to Dec	Grey or black peaty sand, clay. Swamps or winter-wet depressions	1.95	1.85
<i>Calothamnus</i>	<i>quadrifidus</i>	One-sided Bottlebrush	0.9-2m	Red/white-yellow	Jun to Dec	Wide variety of soils & habitats.	1.95	1.85
<i>Calothamnus</i>	<i>rupestris</i>	Cliff Net Bush/Mouse Ears	0.9-4 m	Pink-red	Jul to Dec	Gravelly skeletal soils. Granite outcrops & rocks, hillsides	1.95	1.85
<i>Calothamnus</i>	<i>sanguineus</i>	Silky Leaved Blood Flower	0.2-2m	Red	Mar to Nov	Sandy or lateritic soils. Sandplains, limestone ridges, rocky outcrops	1.95	1.85
<i>Carex</i>	<i>appressa</i>	Tall Sedge	1m	Brown	Sep to Oct	along watercourses and damp areas	1.95	1.85
<i>Carpobrotus</i>	<i>virescens</i>	Native Pigface	0.1-0.3m	Purple-pink/white	Jun to Jan	White, grey or brown sand. Coastal limestone cliffs & dunes.	2.15	2.10
<i>Casuarina</i>	<i>obesa</i>	Salt Sheoak	1.5-10 m		Jan to Dec	Sand, clay, often in brackish or saline situations. Along rivers, creeks, salt lakes	1.95	1.85
<i>Centella</i>	<i>asiatica</i>	Centella	0.05-4m	Pink/purple-red/white	Aug to Apr	Often in winter-wet depressions.	2.15	2.10
<i>Chamelaucium</i>	<i>uncinatum</i>	Geraldton Wax	0.5-4m	White-pink	Jun to Nov	White, grey or yellow sand, over limestone, laterite. Coastal areas, edges of swamps, hillsides, plains.	2.15	2.10



Plant Name		Common Name	Height (m)	Flower colour	Flower time	Habitat & other information	Cost excl GST	Cost excl GST
							100-3000	>3000
<i>Chorizema</i>	<i>cordatum</i>	Heart leaved Flame Pea	0.3-1.5 m	Yellow & orange & red/pink,	Jul to Dec	Sandy gravel, sandy loam or clay, over granite or laterite. Rock outcrops, watercourses, winter-wet flats.	1.95	1.85
<i>Chorizema</i>	<i>ilicifolium</i>	Holly Flame Pea	0.1-.35m	Yellow/orange & red	Jul to Oct	Sand. Stabilised dunes, limestone hills.	1.95	1.85
<i>Chorizema</i>	<i>varium</i>	Bush Flame Pea	0.3m	Orange & yellow & red/pink	Jun to Oct	Sand. Coastal limestone hills & outcrops.	1.95	1.85
<i>Conostylis</i>	<i>aculeata</i>	Prickly Conostylis	0.06-0.5m	Yellow	Aug to Nov	Variety of soils. Winter-wet areas, swamp margins, drainage areas, ditches, sand dunes.	1.95	1.85
<i>Conostylis</i>	<i>candicans</i>	Grey Cotton heads	0.05-.4m	Yellow	Jul to Nov	Sand, sandy loam, limestone. Coastal dunes, sand dunes.	1.95	1.85
<i>Correa</i>	"Dusky Bells"		1m	Carmine-pink	June to Nov	moist, well-drained soil	2.15	2.10
<i>Corymbia</i>	<i>calophylla</i>	Marri	to 40m	White/pink	Dec to May	Clay loam, sandy clay, gravel, grey sand over limestone, granite, laterite. Flats, hills, wetlands.	1.95	1.85
<i>Corymbia</i>	<i>ficifolia</i>	Red Flowering Gum	2 - 10m	Red-orange	Dec to May	White/grey sand or sandy loam, often with gravel. Hillslopes.	2.50	2.30

Plant Name		Common Name	Height (m)	Flower colour	Flower time	Habitat & other information	Cost excl GST	Cost excl GST
							100-3000	>3000
<i>Darwinia</i>	<i>citriodora</i>	Lemon-Scented Darwinia	0.2-1.5m	Yellow-green/red	May to Dec	Lateritic or granitic soils. Granite outcrops, hills.	2.15	2.10
<i>Darwinia</i>	<i>citriodora - prostrate form</i>	Lemon-Scented Darwinia	0.2m	Yellow-orange	July to Jan	Well drained soil.	2.15	2.10
<i>Daviesia</i>	<i>cordata</i>	Bookleaf	0.5-2m	Yellow-orange and Red-Brown	July to Dec	Lateritic or granitic soils.	1.95	1.85
<i>Dianella</i>	<i>caerulea</i>	Blue Flax Lily	90cm	Blue, purple	Sep to Dec	variety of soils	2.15	2.10
<i>Dianella</i>	<i>revoluta</i>	Blueberry Lilly	0.3-1.5m	Blue-purple-violet	Aug to Apr	Variety of soils, laterite, granite,	2.15	2.10
<i>Dodonaea</i>	<i>aptera</i>	Coast Hopbush	2m	Green	Apr - July	Sand	1.95	1.85
<i>Dodonaea</i>	<i>hackettiana</i>	Hackett's Hopbush	1.5m	Yellow-green/red	Jul to Oct	Outcropping limestone	1.95	1.85
<i>Eremaea</i>	<i>pauciflora</i>	Orange Flowered Eremaea	to 2m	Orange/yellow	Jul to Dec	Sand, sandy clay, gravel, granite, laterite. Undulating flats, hillslopes, plateaus, floodplains.	1.95	1.85
<i>Eremophila</i>	<i>glabra</i>	Common Emu Bush, Tar Bush	0.1-3 m	Green-yellow-orange-red-brown,	Mar to Dec	Sand to clay soils, sometimes saline, stony loam, limestone. Winter-wet depressions, sandplains & dunes.	2.15	2.10
<i>Eremophila</i>	<i>glabra subsp. albicans</i>	Kalbarri Carpet	0.1-1.5 m	Yellow/orange & red	May to Nov	Mainly in sandy soils.	2.15	2.10
<i>Eremophila</i>	<i>maculata</i>	Spotted Emu Bush	0.3-3m	Red-orange-yellow/pink	May to Sept	Clay, sandy loam.	2.15	2.10
<i>Eucalyptus</i>	<i>accedens</i>	Powder Bark	2.5-15m	White-cream white-cream-yellow	Dec to Apr	Lateritic gravelly soils, clay loam. Usually on lateritic breakaways or stony ridges	1.95	1.85

Plant Name		Common Name	Height (m)	Flower colour	Flower time	Habitat & other information	Cost excl GST	Cost excl GST
							100-3000	>3000
<i>Eucalyptus</i>	<i>albida</i>	White-leaved Mallee	1.5-4m	White or greenish grey	Nov to Jan	White or yellow sand, often with gravel & over laterite.	1.95	1.85
<i>Eucalyptus</i>	<i>caesia spp caesia</i>	Silver Princess	to 6m	Pink/red	May to Sept	Loam	1.95	1.85
<i>Eucalyptus</i>	<i>caesia ssp magna</i>	Silver Princess	(Mallee) 3 – 10m	Pink/red	May to Sept	Loam	1.95	1.85
<i>Eucalyptus</i>	<i>campaspe</i>	Silver Gimlet	11m	White, cream	Sep to Jan	sandy and loamy soils	1.95	1.85
<i>Eucalyptus</i>	<i>capillosa</i>	Wheatbelt Wandoo	(Mallee) or tree, 5-15	White-cream	Dec to May	Red, white or grey sand, gravelly sand, sandy loam, clay. Decomposing granitic breakaways, hillsides.	1.95	1.85
<i>Eucalyptus</i>	<i>cinerea</i>	Argyle Apple	to 15m	Cream		Loamy, Sandy loam, Clay loam, Poor soil.	1.95	1.85
<i>Eucalyptus</i>	<i>cornuta</i>	Yate	Tree or (mallee, rarely), 2-25 m	Yellow-green	Jan to Nov	Sand, loam. Granite outcrops, moist valleys, winter-wet flats	1.95	1.85
<i>Eucalyptus</i>	<i>decepiens</i>	Redheart	to 15m	Cream	Aug to Jan	variety of soils	1.95	1.85
<i>Eucalyptus</i>	<i>diversicolor</i>	Karri	10-60m	White	May to Feb	Sandy loam	1.95	1.85
<i>Eucalyptus</i>	<i>drummondii</i>	Drummond's Gum	To 8 m	White-cream	Jan to Dec	Gritty loam, gravel, clay over laterite, granite. Sandplains, hills, road verges.	1.95	1.85
<i>Eucalyptus</i>	<i>erythrocorys</i>	Red-capped Gum	3-8m	Yellow	Feb to Apr	Sandy soils. Limestone ridges & outcrops.	1.95	1.85

Plant Name		Common Name	Height (m)	Flower colour	Flower time	Habitat & other information	Cost excl GST	Cost excl GST
							100-3000	>3000
<i>Eucalyptus</i>	<i>erythronema</i>	Red-flowered Mallee	2-6m	Red/pink/cream-white	Jul to Feb	Sand or clayey soils, gravel,	1.95	1.85
<i>Eucalyptus</i>	<i>foecunda</i>	Narrow-leaved Red Mallee	5m	White-cream	Aug to Feb	Sand over limestone. Sand dunes and plains, limestone ridges, cliffs & hills, road verges.	1.95	1.85
<i>Eucalyptus</i>	<i>forrestiana</i>	Fuchsia Gum	1.5-6m	Yellow	Jan to Jun	White or grey/yellow clay, sandy clay, grey sand. Sandplains, near salt lakes.	1.95	1.85
<i>Eucalyptus</i>	<i>globulus</i>	Tasmanian Blue Gum	30-55m	Cream	Sep to Dec		1.95	1.85
<i>Eucalyptus</i>	<i>gomphocephala</i>	Tuart	10-40m	White	Jan to Apr	Sand over limestone. Coastal plains.	1.95	1.85
<i>Eucalyptus</i>	<i>gunnii</i>	Cider Gum	9-21m	Cream	Sept to April		1.95	1.85
<i>Eucalyptus</i>	<i>kingsmillii</i>	Kingsmill's Mallee	1.5-8m	White-cream-yellow-pink-red	Apr to Oct	Red or yellow sand, skeletal soils over sandstone or ironstone. Rocky rises, sandplains	1.95	1.85
<i>Eucalyptus</i>	<i>kruseana</i>	Book-leaf Mallee	3.5m	Greenish-yellow	June to Sep	sandy loam soils	1.95	1.85
<i>Eucalyptus</i>	<i>laeliae</i>	Darling Range Ghost Gum	5-20m	White	Dec to Feb	Sandy clay, sandy loam. Granite outcrops & hills.	1.95	1.85

Plant Name		Common Name	Height (m)	Flower colour	Flower time	Habitat & other information	Cost excl GST	Cost excl GST
							100-3000	>3000
<i>Eucalyptus</i>	<i>lane-poolei</i>	Salmon White Gum	3-12m	White-cream	Jan to Sep	Sandy loam or sand, often with gravel over laterite or granite. Slopes, creek banks.	1.95	1.85
<i>Eucalyptus</i>	<i>leucoxyton ssp. megalocarpa</i>	Large Fruited Yellow Gum	4-9m	Cream, red, pink	Sept – Jan	Sandy, Loamy, Sandy loam, Clay loam, Poor soil	1.95	1.85
<i>Eucalyptus</i>	<i>loxophleba</i>	Yandee/York Gum	To 15m	White	Jul to Feb	Variety of soils near outcrops, flats, rises, slopes, hilltops, near salt lakes, along drainage lines.	1.95	1.85
<i>Eucalyptus</i>	<i>macrocarpa</i>	Mottlecah	0.8-5m	Red-pink	Aug to Jun	White or grey sand or sandy loam over laterite. Hillslopes, ridges, sandplains.	1.95	1.85
<i>Eucalyptus</i>	<i>marginata</i>	Jarrah	To 40m	White-cream/pink	Jun to Jan	Grey sand, clay or sandy loam, laterite. Hills, rises.	2.50	2.30
<i>Eucalyptus</i>	<i>occidentalis</i>	Flat-topped Yate	4-20m	Cream-white	Sep to May	Sandy or clayey soils. Alluvial flats, low-lying wet areas, around salt lakes, hills.	1.95	1.85
<i>Eucalyptus</i>	<i>orbifolia</i>	Round-leaved Mallee	Mallee or Tree	Yellow	July – Nov	Red sand or sandy clay, shallow soils over granite.	2.15	2.10
<i>Eucalyptus</i>	<i>patens</i>	Yarri/Swan River Blackbutt	3-25m	White/cream	Jul to Feb	Gravelly soils, sandy clay, loam. Depressions, stream banks, valleys	1.95	1.85

Plant Name		Common Name	Height (m)	Flower colour	Flower time	Habitat & other information	Cost excl GST	Cost excl GST
							100-3000	>3000
<i>Eucalyptus</i>	<i>pimpiniana</i>	Pimpin Mallee	Straggly shrubby mallee), 0.7-2 m	White	May to Oct	Red sand. Sand dunes & plains.	1.95	1.85
<i>Eucalyptus</i>	<i>pleurocarpa</i>	Tallerack	(Mallee), 1.5-4			White sand.	2.50	2.30
<i>Eucalyptus</i>	<i>preissiana</i>	Bell-fruited Mallee	To 3m	Yellow	May to Nov	Sand, sandy clay or gravel, laterite, limestone. Coastal & subcoastal areas.	1.95	1.85
<i>Eucalyptus</i>	<i>pyriformis</i>	Pear-fruited Mallee	1.5-5m	Red/white-cream-yellow	May to Oct	White, grey or yellow sand, laterite. Plains, hillslopes.	1.95	1.85
<i>Eucalyptus</i>	<i>rhodantha</i>	Rose Mallee	4m	Pink or red	July to Jan	sandy or gravelly soils	2.50	2.30
<i>Eucalyptus</i>	<i>robusta</i>	Swamp Mahogany	20-30m	White/cream	Mar to Sep	It generally grows on heavy clay soils but is also found on sandy clay and alluvial sand soils.	1.95	1.85
<i>Eucalyptus</i>	<i>rudis</i>	Flooded Gum	5-20m	White	Jul to Sep	Sandy or loam soils. Creeklines, flats, hillsides.	1.95	1.85
<i>Eucalyptus</i>	<i>salmonophloia</i>	Salmon Gum	4-30m	White-cream	Aug to Dec	Red clay loam or clay, red sand, often with gravel. Plains & low hills.	1.95	1.85
<i>Eucalyptus</i>	<i>salubris</i>	Gimlet	4-15m	White-cream	Sep to Mar	Red clay loam or loam, yellow or red sand, laterite. Undulating plains, slopes.	1.95	1.85

Plant Name		Common Name	Height (m)	Flower colour	Flower time	Habitat & other information	Cost excl GST	Cost excl GST
							100-3000	>3000
<i>Eucalyptus</i>	<i>sargentii</i>	Salt River Gum	3-12m	White/yellow-cream	Aug to Jan	Yellow sand, sandy clay or clay, grey loam. Salt swamps & flats, along creek lines, flood plains,	1.95	1.85
<i>Eucalyptus</i>	<i>sepulcralis</i>	Weeping Gum	Tree or Mallee 3-8m	Yellow-cream	Sep to Feb	Skeletal sand over quartzite. Hillslopes.	1.95	1.85
<i>Eucalyptus</i>	<i>sideroxylon</i>	Red Ironbark	To 35m	Pink	Dec to June	Clay, loam.	1.95	1.85
<i>Eucalyptus</i>	<i>spathulata</i>	Swamp Mallet	To 8 m	White		Sand, sandy clay over granite, saline soils. Flats, broad valley floors, edges salt lakes, rises.	1.95	1.85
<i>Eucalyptus</i>	<i>stoateii</i>	Scarlet Pear Gum	2-7.5m	Yellow	Jul to Feb	Gravelly sand or clay, sandy loam.	1.95	1.85
<i>Eucalyptus</i>	<i>stricklandii</i>	Strickland's Gum	4-11m	Yellow	Nov to Mar	Gravelly soils. Stony hillsides, ridges.	1.95	1.85
<i>Eucalyptus</i>	<i>synandra</i>	Jingymia Mallee	(Mallee), 3.5-10 m	Cream and pink	Aug to Mar	Sandy & lateritic soils.	1.95	1.85
<i>Eucalyptus</i>	<i>tetraptera</i>	Four-winged Mallee	(Straggly mallee), 1-3 m	Pink/red	Jun - Dec	White or grey sand. Coastal & subcoastal sandplains, granite outcrops.	1.95	1.85
<i>Eucalyptus</i>	<i>todtiana</i>	Coastal Blackbutt	2-8m	White-cream	Jan to Apr	White/grey or yellow sand, often over laterite.	1.95	1.85
<i>Eucalyptus</i>	<i>torquata</i>	Coral Gum	4-11m	Pink-red	Aug to Dec	Stony loam or clay, red sand. Hillsides.	1.95	1.85

Plant Name		Common Name	Height (m)	Flower colour	Flower time	Habitat & other information	Cost excl GST	Cost excl GST
							100-3000	>3000
<i>Eucalyptus</i>	<i>utilis</i>	Coastal Moort	1.5-15m	Cream/white	Sep to Jan	Grey sand, clay soils. Sand dunes, granite hills, near	1.95	1.85
<i>Eucalyptus</i>	<i>victrix</i>	Coolibah	1-12m	White-cream	Nov to Mar	Red loamy or sandy soils, clay loam. Floodplains, flats.	1.95	1.85
<i>Eucalyptus</i>	<i>wandoo</i>	Wandoo	3-25m	White-cream	Dec to May	Sandy loam, clay loam, gravel, laterite, granite. Stony rises, undulating terrain.	1.95	1.85
<i>Eucalyptus</i>	<i>websteriana</i>	Webster's Mallee	(Spreading mallee), to 4 m	Yellow	Sep to Nov	Rocky hillsides.	1.95	1.85
<i>Eucalyptus</i>	<i>woodwardii</i>	Lemon Flowered Gum	6-15 m	Yellow-green	Aug to Nov	Red sand. Rises, flats.	1.95	1.85
<i>Eucalyptus</i>	<i>youngiana</i>	Large-fruited Mallee	(Mallee) or tree, 4-10	Red/yellow	Jun to Oct	Red sand & sandy loam	1.95	1.85
<i>Eutaxia</i>	<i>myrtifolia</i>	Eggs and Bacon	to 2m	Orange-yellow/red	Feb to Dec	Peaty sand, sandy clay loam, gravel, granite. Rocky outcrops, coastal wetlands, swamps, creekbanks.	2.15	2.10
<i>Ficinia</i>	<i>nodosa</i>	Knotted Club rush	to 1m		Oct to Jan	White sand, dark sandy clay, granite, limestone. Coastal dunes, flats, seasonally-wet swamplands.	1.95	1.85
<i>Gahnia</i>	<i>trifida</i>	Coast Saw Sedge	1.5m	Brown	Aug to Oct	swamps, creeks, wetland environments	2.50	2.30
<i>Gastrolobium</i>	<i>capitatum</i>	Eggs and Bacon	1m	Yellow and red/brown	June to Sep	variety of soils	1.95	1.85



Plant Name		Common Name	Height (m)	Flower colour	Flower time	Habitat & other information	Cost excl GST	Cost excl GST
							100-3000	>3000
<b>Gastrolobium</b>	<b><i>ebracteolatum</i></b>	Narrow-leaf Gastrolobium	4m	Yellow	Sep to Jan	loam, sandy loam	1.95	1.85
<b>Gompholobium</b>	<b><i>tomentosum</i></b>	Hairy Yellow Pea	1m	Yellow	July to Jan	coastal limestone, sandy	1.95	1.85
<b>Goodenia</b>	<b><i>varia</i></b>	Sticky Goodenia	20cm	Yellow	Oct to Nov	sandy, coastal dunes and limestone	2.15	2.10
<b>Grevillea</b>	<b><i>biternata</i></b>		1.8m	White, yellow	May to Sep	sandy, lateritic gravel, clay	2.50	2.30
<b>Grevillea</b>	<b><i>obtusifolia</i></b>	Gingin Gem	0.2-2m	Red/red-pink	Apr to Nov	Sand, often damp, sandy clay.	2.15	2.10
<b>Grevillea</b>	<b><i>olivacea orange</i></b>		1-4.5m	Red/red-pink	Jun to Sep	White or grey sand. Coastal dunes, limestone rocks.	2.15	2.10
<b>Grevillea</b>	<b><i>olivacea red</i></b>		1-4.5m	Red/red-pink	Jun to Sep	White or grey sand. Coastal dunes, limestone rocks.	2.15	2.10
<b>Grevillea</b>	<b><i>petrophiloides</i></b>	Pink Pokers	3m	Pink	Dec to Feb	sandy, gravelly	2.50	2.30
<b>Grevillea</b>	<b><i>preissii</i></b>	Spider Net Grevillea	0.15-1.7m	Red	Jun to Sep	White, grey or yellow sand, sandy clay, limestone. Ridges & outcrops, seasonally wet areas.	2.15	2.10
<b>Grevillea</b>	<b>"Winpara Gem"</b>		3m	Red	most of the year	variety of soils	2.15	2.10
<b>Grevillea</b>	<b>"Winpara Gold"</b>		2m	Yellow and red/pink	Apr to Nov	variety of soils	2.15	2.10
<b>Grevillea</b>	<b><i>crithmifolia</i></b>		50cm	White	June to Nov	sandy, limestone	2.15	2.10

Plant Name		Common Name	Height (m)	Flower colour	Flower time	Habitat & other information	Cost excl GST	Cost excl GST
							100-3000	>3000
<i>Guichenotia</i>	<i>ledifolia</i>	Pink Paper Bells	0.4-1.5m	Blue-purple/pink	Jul to Oct	Sandy, rocky clay. Coastal limestone, sandplains, granite rocks.	1.95	1.85
<i>Guichenotia</i>	<i>macrantha</i>	Large Flowered Guichenotia	0.2-1.5 m	Blue-purple/pink	May to Sep	Sandy soils over granite or sandstone or limestone. Sandplains, lateritic breakaways, coastal cliffs, hills.	1.95	1.85
<i>Haemodorum</i>	<i>spicatum</i>	Bloodroot	50cm	Black	Sep to Feb	sand, sandy clay, lateritic	2.15	2.10
<i>Hakea</i>	<i>"Burrendong beauty"</i>		1.5m	Pink, white	Apr to Aug	sand, sandy loam	2.50	2.30
<i>Hakea</i>	<i>costata</i>	Ribbed Hakea	2m	Pink, white	July to Oct	sandy soils	2.50	2.30
<i>Hakea</i>	<i>francisiana</i>	Emu Tree	4m	Red	Jun to Nov	variety of soils	2.50	2.30
<i>Hakea</i>	<i>laurina</i>	Pincushion Hakea	2-6m	Red	Apr - Aug	Sand, sandy clay	2.50	2.30
<i>Hakea</i>	<i>lissocarpha</i>	Honey Bush	0.4-1.5m	White-cream yellow pink	May - Sep	White, grey or yellow sand, sandy loam, granitic soils, laterite.	2.50	2.30
<i>Hakea</i>	<i>petiolaris</i>	Sea Urchin Hakea	To 9m	Pink & cream	Mar to Jul	Loam, granite. Outcrops.	2.50	2.30
<i>Hakea</i>	<i>prostrata</i>	Harsh Hakea	1-3m	White-cream	Jul to Oct	Sandy soils, often over laterite, loam, gravel. Hillslopes, granite outcrops, coastal dunes.	2.50	2.30

Plant Name		Common Name	Height (m)	Flower colour	Flower time	Habitat & other information	Cost excl GST	Cost excl GST
							100-3000	>3000
<i>Hakea</i>	<i>trifurcata</i>	Two-leaved Hakea	1.5-3m	White/cream-pink	Apr to Oct	White, grey/brown sand over limestone or laterite, loam, gravel.	2.50	2.30
<i>Hakea</i>	<i>undulata</i>	Wavy-leaved Hakea	1-2m	White	Jul to Oct	White or grey sand, clay, loam, gravel, laterite.	2.50	2.30
<i>Hakea</i>	<i>varia</i>	Variable-leaved Hakea	1-4m	White-cream/yellow	Jul to Nov	White, grey or red loamy sand, clay loam, laterite. Seasonally-wet flats	2.50	2.30
<i>Hardenbergia</i>	<i>comptoniana</i>	Native Wisteria	Twining shrub or climber	Blue-purple white	Jul to Oct	Sandy soils. Coastal limestone, sandplains, dunes.	1.95	1.85
<i>Hemiandra</i>	<i>pungens</i>	Snake Bush	0.5-1m	White/blue-purple/pink	Jan to Dec	Sand, clay and loam, gravel, laterite, granite. Rock outcrops.	2.15	2.10
<i>Hibbertia</i>	<i>scandens</i>	Guinea Flower; Snake Vine	0.5-3m vine	Yellow	Oct to Mar	Coastal, very sandy soils, salt tolerant.	2.15	2.10
<i>Hypocalymma</i>	<i>angustifolium</i>	White Myrtle	To 1.5m	White-cream	Jun to Oct	Grey to white sand, peaty soils, sandy clay, sandstone. Flats, swamps, along watercourses, hillsides.	2.15	2.10
<i>Jacksonia</i>	<i>furcellata</i>	Grey Stinkwood	0.4-4m	Yellow-orange red	Oct to Mar	Sandy soils. Sandplains, rises, swampy depressions, riverbanks.	2.50	2.30

Plant Name		Common Name	Height (m)	Flower colour	Flower time	Habitat & other information	Cost excl GST	Cost excl GST
							100-3000	>3000
<i>Jacksonia</i>	<i>sericea</i>	Waldjumi	To .6m	Orange	Dec to Feb	Calcareous & sandy soils.	1.95	1.85
<i>Jacksonia</i>	<i>sternbergiana</i>	Green Stinkwood	1.5-5m	Yellow-orange	Jan to Dec	Along rivers & creeks, near swamps, flats, dunes.	1.95	1.85
<i>Juncus</i>	<i>kraussii</i>	Sea Rush	0.3-1.2m	Brown/red	Oct to Jan	White or grey sand, clay, alluvium. Swamps, brackish estuaries, saline flats.	1.95	1.85
<i>Juncus</i>	<i>pallidus</i>	Pale Rush	0.5-2m	Green	Oct to Dec	Clay. Swamps, watercourses.	1.95	1.85
<i>Juncus</i>	<i>subsecundus</i>	Finger Rush	0.3-1m		Oct to Jan	Clay. Swamps.	1.95	1.85
<i>Kennedia</i>	<i>beckxiana</i>	Cape Arid Kennedia	Prostrate or twining shrub or climber	Red	Sep to Dec	Sand, loam. Granite hills & outcrops.	1.95	1.85
<i>Kennedia</i>	<i>coccinea</i>	Coral Vine	Twining shrub or climber	Orange-pink, red, pink- purple	Aug to Nov	Often sandy soils.	1.95	1.85
<i>Kennedia</i>	<i>nigricans</i>	Black Kennedia	Twining shrub or climber	Black and yellow/orange	Jul to Nov	Sandy soils. Coastal dunes, creek edges, flats.	1.95	1.85
<i>Kennedia</i>	<i>prostrata</i>	Scarlet Runner	Prostrate or twining shrub	Red	Apr to Nov	Usually sandy gravelly soils.	1.95	1.85
<i>Kunzea</i>	<i>baxteri</i>	Crimson Kunzea	1-4m	Red	Jul to Mar	Sandy soils. Granite outcrops & hills	1.95	1.85
<i>Kunzea</i>	<i>ericifolia</i>	Spearwood	1-4m	Yellow/cream-white	Jul to Dec	Peaty sand, grey sand, quartzite	1.95	1.85
<i>Kunzea</i>	<i>glabrescens</i>	Spearwood	1.5-4m	Yellow	Oct to Nov	Clay, sandy soils. Edges of swamps, lakes, rivers, moist depressions.	1.95	1.85

Plant Name		Common Name	Height (m)	Flower colour	Flower time	Habitat & other information	Cost excl GST	Cost excl GST
							100-3000	>3000
<i>Kunzea</i>	<i>recurva</i>	Pink Kunzea	0.3-2m	Pink/purple-red	Aug to Dec	Variety of soils. Winter-wet depressions, rocky slope	1.95	1.85
<i>Lepidosperma</i>	<i>longitudinale</i>	Pithy Sword-sedge	0.5m - 2m	Brown	May to Oct	swamps, creeks, wetland environments	2.50	2.30
<i>Lobelia</i>	<i>anceps</i>	Angled Lobelia	1.2m	Blue/blue-purple/white	Dec to Feb	Sandy loam, grey sand, wet brown	1.95	1.85
<i>Melaleuca</i>	<i>conothamnoides</i>		0.3-1.5m	Purple-pink	Apr to Nov	Yellow sand, loam, laterite. Sandplains.	1.95	1.85
<i>Melaleuca</i>	<i>cuticularis</i>	Saltwater Paperback	1-7m	White-cream	Aug to Nov	Alluvium, sand, clay. Winter-wet depressions, salt lakes, coastal areas, along watercourses.	1.95	1.85
<i>Melaleuca</i>	<i>depressa</i>		50cm	Yellow, cream	Sep to Nov	sandy soils	1.95	1.85
<i>Melaleuca</i>	<i>diosmifolia</i>		4m	Green	Sep to Dec	variety of soils	1.95	1.85
<i>Melaleuca</i>	<i>elliptica</i>	Granite Bottlebrush	1-4m	Red	Jun to Jan	Sandy soils. Granite rocks.	1.95	1.85
<i>Melaleuca</i>	<i>fulgens</i>		0.4-3m	Red-pink/white	Jul to Nov	Sandy soils over granite or sandstone. Granite outcrops, sandplains.	1.95	1.85
<i>Melaleuca</i>	<i>hamulosa</i>		1-6m	White-pink	Sep to Jan	Sandy soils. Winter-wet flats, saline depressions, swamps, granite outcrops.	1.95	1.85
<i>Melaleuca</i>	<i>huegelii</i>	Chenille Honey Myrtle	0.5-5m	Pink/white/pink-purple	Sep to Jan	Sand. Limestone cliffs, coastal plains & dunes.	1.95	1.85

Plant Name		Common Name	Height (m)	Flower colour	Flower time	Habitat & other information	Cost excl GST	Cost excl GST
							100-3000	>3000
<i>Melaleuca</i>	<i>incana</i>	Grey Honey Myrtle	0.4-5m	White-cream-yellow	May to Nov	Red-grey-brown sand, sandy clay over ironstone. Seasonally wet flats & depressions, swamps.	1.95	1.85
<i>Melaleuca</i>	<i>lanceolata</i>	Rottnest Tea Tree	1-8m	White-cream	Jan to Sep	variety of soils	1.95	1.85
<i>Melaleuca</i>	<i>lateriflora</i>	Gorada	1-8m	White-cream	Sep to Feb	Sandy or clayey soils. Winter-wet flats, floodplains, creek lines, swampy & saline flats.	1.95	1.85
<i>Melaleuca</i>	<i>nesophila</i>	Snowy Honey Myrtle	0.6-2.5m	Pink-purple	Sep to Jan	Sandy Soils	1.95	1.85
<i>Melaleuca</i>	<i>parviceps</i>	Rough Honey-myrtle	1.2m	Pink	Sep to Dec	variety of soils	1.95	1.85
<i>Melaleuca</i>	<i>preissiana</i>	Stout Paperback	2-9m	Yellow-cream-white	Nov to Feb	Sandy soils. Swamps.	1.95	1.85
<i>Melaleuca</i>	<i>pulchella</i>	Claw Flower	0.3-1.7m	Pink-purple	May to Mar	Sandy soils. Sandplains, sand dunes, swamps, depressions.	1.95	1.85
<i>Melaleuca</i>	<i>quinquenervia</i>	Paperbark	20m	White	Dec to May	variety of soils	1.95	1.85
<i>Melaleuca</i>	<i>radula</i>	Graceful Honey Myrtle	0.3-2.4m	Pink-purple/white	Jul to Nov	Sandy, often gravelly soils over granite or laterite. Associated with granite rocks or watercourses.	1.95	1.85

Plant Name		Common Name	Height (m)	Flower colour	Flower time	Habitat & other information	Cost excl GST	Cost excl GST
							100-3000	>3000
<i>Melaleuca</i>	<i>rhaphiophylla</i>	Swamp Paperback	0.2-10m	White-cream	Jul to Jan	White or grey sand, clay soils, limestone. Saltmarshes, swamps, along watercourses.	1.95	1.85
<i>Melaleuca</i>	<i>scabra</i>	Rough Honey Myrtle	0.2-1.5m	Pink-red-purple	Jan to Dec	Sandy or clay, often lateritic soils.	1.95	1.85
<i>Melaleuca</i>	<i>seriata</i>		0.25-1m	Pink-purple-red	Aug to Dec	White, grey or yellow sand over laterite or clay, clay loam. Ridges, sandplains, winter-wet depressions.	1.95	1.85
<i>Melaleuca</i>	<i>systema</i>	Coastal Honey Myrtle	0.5-2m	Yellow-cream	Feb to Dec	Sand over laterite, yellow/orange sand over limestone. Coastal stabilised dunes & rocky limestone.	1.95	1.85
<i>Melaleuca</i>	<i>teretifolia</i>	Banbar	1-5m	White cream pink	Oct to Mar	Sandy soils, clay. Winter-wet depressions, swamps.	1.95	1.85
<i>Melaleuca</i>	<i>thymoides</i>		0.4-2m	Cream-yellow	Sep to Jan	Sandy soils, often over laterite or granite. Winter-wet depressions, granite hills, sand dunes.	1.95	1.85
<i>Melaleuca</i>	<i>trichophylla</i>	Rough Honey Myrtle	0.15-1m	Pink-purple	Aug to Dec	White/grey/orange sand, gravel, laterite. Sandplains, hillsides.	1.95	1.85

Plant Name		Common Name	Height (m)	Flower colour	Flower time	Habitat & other information	Cost excl GST	Cost excl GST
							100-3000	>3000
<i>Melaleuca</i>	<i>uncinata</i>	Broom Honey Myrtle	0.5-5m	White-cream-yellow	Feb to Dec	Sandy or clayey soils, laterite. Sandplains, winter-wet depressions, saline flats.	1.95	1.85
<i>Melaleuca</i>	<i>viminea</i>	Mohan	0.6-5m	White-cream	Jul to Nov	Sandy or clayey soils. Near creeks or wet depressions, along watercourses, rocky coastal areas, flats.	1.95	1.85
<i>Myoporum</i>	<i>insulare</i>	Blueberry Tree	0.25-5 m	White	Jul to Feb.	White/grey sand. Coastal dunes & limestone.	2.15	2.10
<i>Orthrosanthus</i>	<i>laxus</i>	Morning Iris	50cm	Blue/purple	Aug to Nov	sandy soil	2.50	2.30
<i>Paraserianthes</i>	<i>lophantha</i>		1-10m	Yellow/green-yellow	Apr to Oct	Sandy or granitic soils. Winter-wet depressions, near creeks or swamps, granite outcrops.	1.95	1.85
<i>Patersonia</i>	<i>occidentalis</i>	Purple Flag	To 1.5m	Purple	Aug to Jan	Sand or sandy clay, clayey loam, gravel, laterite, granite, limestone. Winter-wet areas, dunes.	1.95	1.85
<i>Pericalymma</i>	<i>ellipticum</i>	Swamp Teatree	3m	White-pink	Oct to Jan	Leached sand with some clayey sands, lateritic soils	1.95	1.85
<i>Phyllanthus</i>	<i>calycinus</i>	False Boronia	0.2-1.2 m	White-cream/pink	Jun to Jan	Often on sandy soils.	1.95	1.85



Plant Name		Common Name	Height (m)	Flower colour	Flower time	Habitat & other information	Cost excl GST	Cost excl GST
							100-3000	>3000
<i>Pimelea</i>	<i>ferruginea</i>	Rice Flower	0.3-1.5m	Pink	Aug to Feb	Grey or white sand. Coastal sand dunes & rocky headlands (limestone & granite).	2.15	2.10
<i>Poa</i>	<i>poiformis</i>	Coastal Tussock Grass	1.2m		Oct to Nov	sandy, granite, sandy loam	1.95	1.85
<i>Podotheca</i>	<i>gnaphaloides</i>	Golden Long-heads	60cm	Yellow	Aug to Nov	variety of soils	1.95	1.85
<i>Regelia</i>	<i>ciliata</i>		0.8-2m	Pink-purple	Jan to Dec	White or grey sand. Winter-wet depressions.	1.95	1.85
<i>Regelia</i>	<i>inops</i>		0.75-2m	Pink-purple-blue	Jan to Dec	Sandy soils. Winter-wet depressions, sandplains.	1.95	1.85
<i>Rhagodia</i>	<i>baccata</i>		0.3-2m	Cream-yellow/green	Intermittent all year	White-grey sand, limestone, granite. Sand dunes, coastal rocky areas, hills.	1.95	1.85
<i>Ricinocarpos</i>	<i>glaucus</i>	Wedding Bush	0.5-3m	White	Sep to Oct		2.15	2.10
<i>Scaevola</i>	" <i>Mauve Clusters</i> "	Fan Flower	20cm	Mauve	Oct to Feb	loamy soils	2.15	2.10
<i>Scaevola</i>	<i>crassifolia</i>	Thick Leaved Fan Flower	0.1-1.5m	Blue/white	Jul to Feb	Sand. Coastal dunes, plains & limestone cliffs.	2.15	2.10
<i>Schoenoplectus</i>	<i>validus</i>	Lake Club-rush	0.8-2m	Brown	Oct to Feb	Silt and sand. Fresh or brackish water, swamps, estuaries.	1.95	1.85
<i>Spyridium</i>	<i>globulosum</i>	Basket Bush	.6-5m	White	Jun to Nov	Sand. Coastal sand dunes & limestone.	1.95	1.85

Plant Name		Common Name	Height (m)	Flower colour	Flower time	Habitat & other information	Cost excl GST	Cost excl GST
							100-3000	>3000
<i>Stylobasium</i>	<i>australe</i>		2m	Green/yellow/brown	Aug to Oct	clay loam, sand, sandy clay, winter-wet areas	1.95	1.85
<i>Stylobasium</i>	<i>spathulatum</i>	Pebble Bush	2.5m	Green/yellow/brown	May to Oct	variety of soils	1.95	1.85
<i>Templetonia</i>	<i>retusa</i>	Cockie's Tongue	3-4m	Red/white-yellow	Apr to Nov	White sand, red clay, brown and white gravel, limestone. Plateaus, coastal cliffs, hillsides, road verges.	1.95	1.85
<i>Thryptomene</i>	<i>saxicola</i>	Rock Thryptomene	1m	Pink	most of the year	sandy or loamy soils, granite outcrops	2.15	2.10
<i>Trymalium</i>	<i>ledifolium</i>	Star Buckthorn	2.5m	White	June to Nov	variety of soils	1.95	1.85
<i>Verticordia</i>	<i>plumosa</i>	Plumed Feather Flower	0.2-1.5m	Pink-blue-purple-red-white	Jul to Feb	Sandy or clay soils, gravel, granite. Seasonally wet areas, rock outcrops, undulating plains, hills, road verges.	2.15	2.10
<i>Viminaria</i>	<i>juncea</i>	Swish Bush	1-4m	Yellow	Oct to Jan	Sandy & clay soils. Near lakes & swamps, river banks, winter-wet depressions.	1.95	1.85
<i>Westringia</i>	<i>fruticosa</i>	Coastal or Native Rosemary	2m	White		Most soils	2.15	2.10

Plant Name		Common Name	Height (m)	Flower colour	Flower time	Habitat & other information	Cost excl GST	Cost excl GST
							100-3000	>3000
<i>Xanthorrhoea</i>	<i>preissii</i>	Grass Tree	To 5m	White-cream	Jun to Dec	Dark sands, loam, gravelly sandy clay, laterite, granite. Ranges, coastal plain, near watercourses.	5.00	5.00