



Trillion Trees Nursery

Product Catalogue 2019

Cnr Amherst Road & Stirling Crescent
HAZELMERE WA 6055
Tel: (08) 9250 3113
Email: nursery@trilliontrees.org.au



Formerly Men of the Trees

Price Code	Botanical Name	Common Name	Height (m)	Flower Colour	Flowers	Soil
Acacia						
A	acuminata	Jam Wattle	1-7m	Yellow	Jul-Oct	Variety of soils and habitats
A	celastrifolia	Glowing wattle	1-3m	Yellow	Apr-Aug	Frequently on lateritic soils.
A	cyclops	Red-eyed Wattle	0.8-4m	Yellow	Sept - Dec or Jan - May	White/grey sand. Coastal sand dunes & limestone
A	denticulosa	Sandpaper Wattle	1-4m	Yellow	Sept - Oct	Sand, loam, clay. Granite outcrops, rarely on sandplains.
A	dentifera	Toothed Acacia	0.6-3m	Yellow	Aug - Nov	Often in lateritic or granitic gravelly soils.
A	drummondii	Drummond's Wattle	0.3-.6m	Yellow	Jun - Oct	Lateritic gravelly soils
A	extensa	Wiry Wattle	0.5-1.2m	Yellow	Aug - Oct	Often on sandy & sandy lateritic soils. Damp areas, along watercourses, near swamps.
A	lasiocarpa	Dune Moses	0.5-1.5m	Yellow	May - Oct	Variety of soils, laterite. Winter-wet areas, swamps, coastal dunes & flats.
A	microbotrya	Manna Wattle	to 7m	Yellow/Cream	Mar - Aug	Clay loam or sandy loam, granite. Outcrops, near watercourses, salt lakes, road verges.
A	pulchella	Western Prickly Moses	0.3-3m	Yellow	May - Dec	Sandy soils, clay loam over laterite. Low-lying areas, swamps, near watercourses.
A	saligna	"Coojong", Orange Wattle	1.5-6m	Yellow	July - Nov	Variety of habitats.
Agonis						
A	flexuosa	WA Peppermint	To 10m	White	Jul - Sept	White or grey sand, sandy soils, laterite, limestone. Coastal sand dunes, granite out-crops, limestone areas.
Allocasuarina						
A	fraseriana	Common Sheok	5-15m	Reddish Brown	May - Oct	Lateritic soils, white, grey or yellow sand. Jarrah forest, sand dunes.
A	huegeliana	Rock Sheok	4-10m	Red/Brown	May - Dec or Jan	Associated with granite.
A	humilis	Dwarf Sheok	0.2-2m	Red/Orange - Brown	May - Nov	Sand, often over laterite, sandy clay, gravel. Sandplains, sand dunes.
Anigozanthos						
A	bicolour	Little Kangaroo Paw	0.5-.6m	Green and Red	Aug - Oct	Various sands, clay loam, laterite, granite. Granite outcrops, wet areas, road verges.
A	flavidus	Tall Kangaroo paw	0.5-3m	yellow-green brown-red	Nov to Dec or Jan	Grey or yellow sand, clay, gravel. Drainage lines, fringing wetlands, roadside gutters.

Price Code	Botanical Name	Common Name	Height (m)	Flower Colour	Flowers	Soil
Anigozanthos						
A	humilis	Cat's Paw	0.1-1m	yellow-red-orange	Jul - Oct	Sand, sandy loam, clay, laterite, limestone. Winter-wet swamps, creek banks, alluvial flats, well drained areas.
A	manglesii	Red & Green Kangaroo Paw	0.2-1.1m	Green and Red	Aug - Nov	White, yellow or grey sand, sandy loam.
A	Viridis	Green kangaroo Paw	0.05-0.85m	Green/Yellow-Green	Aug - Oct	Sand, loam, clay. Winter-wet areas.
Astartea						
A	scoparia		To 1.8m			Loam, sand.
Atriplex						
A	isatidea	Coast Salt Bush	0.5-2.5m		Mainly Mar to Jun	White sand. Coastal dunes
Banksia						
C	attenuata	Candle Banksia	0.4-10m	yellow	Oct to Dec or Jan to Feb	White, yellow, brown or pale red sand, sometimes over laterite. Sand dunes, sandplains.
C	grandis	Bull Banksia	1.5-10m	yellow-green	Sep to Dec or Jan	White or grey sand, laterite
C	littoralis	Swamp Banksia	1.5-12m	yellow/orange-yellow	Mar to Aug	Low-lying, seasonally damp areas, along watercourses
C	menziesii	Firewood Banksia	1.3-7m	pink/red/yellow	Feb to Oct	White, grey or yellow sand
C	nivea	Couch Honeypot	0.3-0.7 m	cream-yellow-orange-pink/red- brown	Jul to Nov	Sandy soils, often with gravel, laterite, granitic soils
C	prionotes	Acorn Banksia	to 10m	cream & orange	Feb to Aug	Sandy loam, brown clay, laterite, granite. Sandplains, sand dunes, undulating slopes.
Baumea						
C	articulata	Jointed Rush	1-2.6 m	red/brown	Jan to Dec	Wet, black sand, waterlogged soils. Seasonal swamps, borders of lakes
C	juncea	Bare Twig Rush	0.2-1.2 m	brown/other	Oct to Dec or Jan to Mar	Dark grey sand, waterlogged soils
C	preissii		0.2-2m	purple/brown	Jul to Del	Silty sand, waterlogged soils. Swamps, bordering lakes and watercourses.

Price Code	Botanical Name	Common Name	Height (m)	Flower Colour	Flowers	Soil
Beaufortia						
A	elegans		0.3-1m	red/purple/pink/white	Aug to Dec or Jan to Feb	White, grey or yellow sand, often over laterite. Plains, winter-wet depressions
A	purpurea		0.3-1.5 m	red/purple	Oct to Dec or Jan to Feb	Lateritic or granitic soils. Rocky slopes
A	squarrosa	Sand Bottlebrush	0.5-2 m	red-orange-yellow	Jan to May or Aug to Dec	White, grey or yellow sand, sometimes over limestone, laterite. Sandplains associated with winter-wet depressions.
Billardiera						
B	fusiformis	Australian Bluebell	Climber	blue/white/pink	Nov to Dec or Jan to Feb	Coastal areas, disturbed water crossing sites
Bolboschoenus						
A	caldwellii	Marsh Club-Rush	0.3-1.2m	yellow/brown	Aug to Dec or Jan to Mar	White or grey sand, mud, saline silt, sandy clay. Swamps, drains, brackish river edges, salt marshes
Callistemon						
A	phoeniceus	Lesser Bottlebrush	1-6m	red	Sep to Dec or Jan	Sandy soils, laterite. Often along watercourses.
Calothamnus						
A	hirsutus		0.3-1.5 m	red	Sep to Dec or Jan to Feb	Yellow/grey sand, clay, sandy clay, loam, gravel, weathering sandstone, granite. Ridges, winter-wet depressions
A	lateralis		0.4-1.5m	red	Jan or May to Dec	Grey or black peaty sand, clay. Swamps or winter-wet depressions
A	quadrifidus	One-sided Bottlebrush	0.9-2m	red/white-yellow	Jun to Dec	Wide variety of soils & habitats.
A	rupestris	Cliff Net Bush/Mouse Ears	0.9-4 m	pink-red	Jul to Dec	Gravelly skeletal soils. Granite outcrops & rocks, hillsides
A	sanguineus	Silky Leaved Blood Flower	0.2-2m	red	Mar to Nov	Sandy or lateritic soils. Sandplains, limestone ridges, rocky outcrops
Carpobrotus						
B	virescens	Native Pigface	0.1-0.3 m	purple-pink/white	Jun to Dec or Jan	White, grey or brown sand. Coastal limestone cliffs & dunes.

Price Code	Botanical Name	Common Name	Height (m)	Flower Colour	Flowers	Soil
Casuarina						
A	obesa	Salt Sheoak	1.5-10 m		Jan to Dec	Sand, clay, often in brackish or saline situations. Along rivers, creeks, salt lakes
Centella						
B	asiatica	Centella	0.05-4m	pink/purple-red/white	Aug to Dec or Jan to Apr	Often in winter-wet depressions.
Chamelaucium						
B	uncinatum		0.5-4m	white-pink	Jun to Nov	White, grey or yellow sand, over limestone, laterite. Coastal areas, edges of swamps, hillsides, plains.
Chorizema						
A	cordatum	Heart leaved Flame Pea	0.3-1.5 m	yellow & orange & red/pink,	Jul to Dec	Grey-brown sandy gravel, red-brown sandy loam or clay, over granite or laterite. Near rock outcrops, on hills, along streams and watercourses, winter-wet flats.
A	ilicifolium	Holly Flame Pea	0.1-.35m	yellow/orange & red	Jul to Oct	Sand. Stabilised dunes, limestone hills.
A	varium	Bush Flame Pea	0.3m	orange & yellow & red/pink	Jun or Sep to Oct	Sand. Coastal limestone hills & outcrops.
Conostylis						
A	aculeata	Prickly Conostylis	0.06-0.5m	yellow	Aug to Nov	Sand, loam, clay, gravel, limestone, laterite. Winter-wet areas, swamp margins, drainage areas, ditches, sand dunes.
A	candicans	Grey Cotton heads	0.05-.4m	yellow	Jul to Nov	Sand, sandy loam, limestone. Coastal dunes, sand dunes.
Corymbia						
A	calophylla	Marri	to 40m	white/pink	Dec or Jan to May	Red-brown clay loam, orange-brown sandy clay, gravel, grey sand over limestone, granite, laterite. Flats, hills, slopes, breakaways, wetlands, fringing salt marches, beside drainage lines.
A	ficifolia	Red Flowering Gum	2 - 10m	red-orange	Dec or Jan to May	White/grey sand or sandy loam, often with gravel. Hillslopes.
Darwinia						
B	citriodora	Lemon-Scented Darwinia	0.2-1.5m	yellow-green/red	May to Dec	Lateritic or granitic soils. Granite outcrops, hills.
Eremaea						
A	pauciflora	Orange Flowered Eremaea	To 2m	orange/yellow	Jul to Dec	White, grey, yellow or brown sand, sandy clay, gravel, granite, laterite. Undulating flats, hillslopes, plateaus, floodplains.

Price Code	Botanical Name	Common Name	Height (m)	Flower Colour	Flowers	Soil
Eremophila						
B	calorhabdos	Red Rod	1-3m	red/pink-purple-red,	Aug to Dec or Jan to May	Sand, clay or loam. Undulating plains, winter-wet areas.
B	glabra subsp. albicans	Kalbarri Carpet	0.1-1.5 m	yellow/orange & red	May or Jul to Nov	Mainly in sandy soils.
B	glabra	Common Emu bush	0.1-3 m	green-yellow-orange-red-brown,	Mar to Dec	Sand to clay soils, sometimes saline, stony loam, limestone. Winter-wet depressions, sandplains & dunes.
B	maculata	Native Fuchsia	0.2-3 m	red-pink-orange-yellow	May to Nov	Red sand or clay, sandy loam. Salt flats, claypans, floodplains, along watercourses, drainage lines, seasonally wet depressions.
Eucalyptus						
A	accedens	Powder bark	2.5-15m	white-cream white-cream-yellow	Dec or Jan to Apr	Lateritic gravelly soils, clay loam. Usually on lateritic breakaways or stony ridges
A	albida	White-leaved Mallee	1.5-4m	white or greenish grey	Nov to Dec or Jan	White or yellow sand, often with gravel & over laterite.
A	caesia spp caesia		To 6m	pink/yellow		
A	camaldulensis	River Red Gum	5-20m	White	Jul to Dec or Jan to Feb	Alluvium, sand, rocky deep red sand. Along watercourses, billabongs.
A	drummondii	Drummond's Gum	To 8 m	white-cream	Jan to Feb or Apr to Dec	Gritty loam, gravel, clay over laterite, granite. Sandplains, hills, road verges.
A	erythrocorys	Recap Gum	3-8m	yellow	Feb to Apr	Sandy soils. Limestone ridges & outcrops.
A	erythronema	Red-flowered Mallee	2-6m	red/pink/cream-white	Jul or Oct to Dec or Jan to Feb	Sand or clayey soils, gravel, laterite.
A	foecunda	Narrow-leaved Red Mallee	5m	white-cream	Aug or Jan to Feb	White, grey, yellow, brown, orange or red sand over limestone. Sand dunes and plains, limestone ridges, cliffs & hills, road verges.
A	forrestiana	Fuchsia Gum	1.5-6m	yellow	Jan to Mar or Apr to Jun	White or grey/yellow clay, sandy clay, grey sand. Sandplains, near salt lakes.
A	gomphocephala	Tuart	10-40m	white	Jan to Apr	Sand over limestone. Coastal plains.
A	laeliae	Darling Range Ghost Gum	5-20m	white	Dec or Jan to Feb	Sandy clay, sandy loam. Granite outcrops & hills.

Price Code	Botanical Name	Common Name	Height (m)	Flower Colour	Flowers	Soil
Eucalyptus						
A	lanepolei	Salmon White Gum	3-12m	white-cream	Jan to Apr or Jun or Aug to Sep	Sandy loam or sand, often with gravel over laterite or granite. Slopes, creek banks.
A	loxophleba	Yandee/York Gum	To 15m	white	Jul to Dec or Jan to Feb	Red-brown or rocky loam, sand, sandy clay, laterite, dolerite, granite. Near outcrops, flats, rises, slopes, hilltops, near salt lakes, along drainage lines.
A	macrocarpa	Mottlecah	0.8-5m	red-pink	Aug to Dec or Jan or Apr or Jun	White or grey sand or sandy loam over laterite. Hillslopes, ridges, sandplains.
C	marginata	Jarrah	To 40m	white-cream/pink	Jun to Dec or Jan	Grey sand, clay or sandy loam, laterite. Hills, rises.
A	patens	Yarri/Swan River Blackbutt	3-25m	white/cream	Jul to Aug or Nov to Dec or Jan to Feb	Gravelly soils, sandy clay, loam. Depressions, stream banks, valleys
A	preissiana	Bell-fruited Mallee	To 3m	yellow	May or Aug to Nov	Sand, sandy clay or gravel, laterite, limestone. Coastal & subcoastal areas.
A	pyriformis	Pear-fruited Mallee	1.5-5m	red/white-cream-yellow	May to Oct	White, grey or yellow sand, laterite. Plains, hillslopes.
A	robusta	Swamp Mahogany	20-30m	white/cream	Mar to Sep	Occurs in swamps and alongside estuaries in a narrow coastal strip, usually within a few kilometres of the ocean. It generally grows on heavy clay soils but is also found on sandy clay and alluvial sand soils.
A	rudis	Flooded Gum	5-20m	white	Jul to Sep	Sandy or loam soils. Wetter parts of south-western WA, flats, hillsides.
A	salmonophloia	Salmon Gum	4-30m	white-cream	Aug to Dec	Red clay loam or clay, red sand, often with gravel. Plains & low hills.
A	sargentii	Salt River Gum	3-12m	white/yellow-cream	Aug or Oct to Dec or Jan	Yellow sand, sandy clay or clay, grey loam. Salt swamps & flats, along creek lines, flood plains,
A	salubris	Gimlet	4-15m	white-cream	Sep to Oct or Dec or Jan to Mar	Red clay loam or loam, yellow or red sand, laterite. Undulating plains, slopes.
A	spatulata	Swamp Mallet	To 8 m	white		Grey-white sand, pale brown sandy clay over granite, saline soils. Flats, broad valley floors, saline depressions, edges salt lakes, rises.
A	todtiana	Coastal Blackbutt	2-8m	white-cream	Jan to Apr	White/grey or yellow sand, often over laterite. Coastal sandplains.
A	torquata	Coral Gum	4-11m	pink-red	Aug to Dec	Stony loam or clay, red sand. Hillsides.
A	utilis		1.5-15m	cream/white	Sep to Dec or Jan	Grey sand, clay soils. Sand dunes, granite hills, near estuaries and swamps.
A	victrix	Coolibah	1-12m	white-cream	Nov or Jan to Mar	Red loamy or sandy soils, clay loam. Floodplains, flats.
A	wandoo	Wandoo	3-25m	white-cream	Dec or Jan to May	Sandy loam, clay loam, gravel, laterite, granite. Stony rises, undulating terrain.

Price Code	Botanical Name	Common Name	Height (m)	Flower Colour	Flowers	Soil
Eutaxia						
B	myrtifolia		To 2m	orange-yellow/red	Feb or May or Jul to Dec	Black/white peaty sand, sandy clay loam, gravel, granite, quartzite. Rocky outcrops, moss swards, coastal wetlands, swamps, creekbanks.
Ficinia (Isolepis)						
A	nodosa	Knotted Club rush	To 1m		Oct to Dec or Jan	Bare white calcareous sand, dark sandy clay, granite, limestone. Coastal dunes, flats, seasonally-wet swamplands, shores of salt lakes.
Gahnia						
C	trifida	Coast Saw sedge	1.5m high to 1m wide	yellow-brown	Aug to Oct	Grey or white sand, clay, sometimes saline. Swamps, creeks.
Gompholobium						
A	aristatum		0.1-0.8m	yellow	Jul to Dec	White or yellow sand, sandy clay or loam, laterite. Sandplains, winter-wet depressions.
A	shuttleworthii	Ruby Pea	0.1-.5m	pink-purple	Sep to Dec	Yellow or white sand, lateritic gravel, granitic soils. Flats, slopes, outcrops, breakaways.
Grevillea						
B	crithmifolia		0.6-2m	white/white-pink	Jun or Aug to Nov	White or yellow sand over limestone. Dunes, hillslopes, sandplains.
B	obtusifolia	Gingin Gem	0.2-2m High up to 4m wide	red/red-pink	Apr or Aug to Nov	Sand, often damp, sandy clay. Alongside rivers.
B	olivacea		1-4.5m	red/red-pink	Jun to Sep	White or grey sand. Coastal dunes, limestone rocks.
B	preissii	Spider Net Grevillea	0.15-1.7m	red	Jun to Sep	White, grey or yellow sand, sandy clay, limestone. Ridges & outcrops, seasonally wet areas.
B	thelmanniana	Spider Net Grevillea	0.3-1.5m	pink-red	May to Nov	Sand, sandy clay. Winter-wet low-lying flats.
Hakea						
C	incrassata	Marble Hakea	0.35-1.5m	white-cream/pink	Jul to Nov	Grey or yellow sand, often over laterite, gravel or granitic soils.
C	laurina	Pincushion Hakea	2-6m	red	Apr - Aug	Sand, sandy clay
C	lissocarpha	Honey Bush	0.4-1.5m	white-cream yellow pink	May - Sep	White, grey or yellow sand, sandy loam, granitic soils, laterite.
C	minyma		1.2-3m	pink-cream-white	Aug to Nov	Yellow or red sand, clay, gravel. Sandplains.

Price Code	Botanical Name	Common Name	Height (m)	Flower Colour	Flowers	Soil
Hakea						
C	multilineata	Grass Leaf Hakea	1.5-6m	pink	Jun-Sep	White or yellow sand, laterite
C	petiolaris	Sea Urchin Hakea	To 9m	pink & cream	Mar to Jul	Loam, granite. Outcrops.
C	prostrata	Harsh Hakea	1-3m	white-cream	Jul to Oct	Sandy soils, often over laterite, loam, gravel. Hillslopes, granite outcrops, coastal dunes.
C	trifurcata	Two-leafed Hakea	1.5-3m	white/cream-pink	Apr to Oct	White, grey/brown sand over limestone or laterite, loam, gravel.
C	undulata	Wavy-leaved Hakea	1-2m	white	Jul to Oct	White or grey sand, clay, loam, gravel, laterite.
C	varia	Variable-leaved Hakea	1-4m	white-cream/yellow	Jul to Nov	White, grey or red loamy sand, clay loam, laterite. Seasonally-wet flats
Hardenbergia						
A	comptoniana	Native Wisteria	Twining shrub or climber	blue-purple white	Jul to Oct	Sandy soils. Coastal limestone, sandplains, dunes.
Hemiandra						
B	pungens	Snake Bush	0.5-1m	white/blue-purple/pink	Jan to Dec	Sand, clay and loam, gravel, laterite, granite. Rock outcrops.
Hibbertia						
B	scandens	Golden Guinea Vine	0.5-3m vine	yellow	Oct to Mar	Good for coastal plantings as it can grow on very sandy soils and is salt tolerant. Can grow in sun or part shade, best flowering is in sunny spots.
Hypocalymma						
B	angustifolium	White Myrtle	To 1.5m	white-cream	Jun to Oct	Grey to white sand, peaty soils, sandy clay, sandstone. Flats, swamps, along watercourses, near permanent fresh-water springs, outcrops, hillsides.
B	robustum	Swan River Myrtle	0.4-1m	pink/pink-red	Jun to Nov	Gravelly lateritic soils, sandy soils. Undulating terrain, ridges.
Jacksonia						
A	furcellata	Grey Stinkwood	0.4-4m	yellow-orange red	Oct to Dec or Jan to Mar	Sandy soils. Sandplains, rises, swampy depressions, river banks.
A	sericea	Waldjumi	To .6m	orange	Dec or Jan to Feb	Calcareous & sandy soils.
A	sternbergiana	Green Stinkwood	1.5-5m	yellow-orange	Jan to Dec	Along rivers & creeks, near swamps, flats, dunes.

Price Code	Botanical Name	Common Name	Height (m)	Flower Colour	Flowers	Soil
Juncus						
A	kraussii	Sea Rush	0.3-1.2m	brown/red	Oct to Dec or Jan	White or grey sand, clay, alluvium. Swamps, brackish estuaries, saline flats.
A	pallidus	Pale rush	0.5-2m	green	Oct to Dec	Clay. Swamps, watercourses.
A	subsecundus	Finger rush	0.3-1m		Oct to Dec or Jan	Clay. Swamps.
Kennedia						
A	coccinea	Coral Vine	Twining shrub or climber	orange-pink, red, pink-purple	Aug to Nov	Often sandy soils.
A	prostrata	Scarlet Runner	Prostrate or twining shrub	red	Apr to Nov	Usually sandy gravelly soils.
Kunzea						
A	baxteri	Crimson Kunzea	1-4m	red	Jul or Sep to Nov or Jan to Mar	Sandy soils. Granite outcrops & hills
A	glabrescens	Spearwood	1.5-4m	yellow	Oct to Nov	Clay, sandy soils. Edges of swamps, lakes, rivers, moist depressions.
A	recurva	Pink Kunzea	0.3-2m	pink/purple-red	Aug to Dec	Variety of soils. Winter-wet depressions, rocky slope
Leucophyta						
B	brownii	Cushion Bush	1m	Yellow	Dec or Jan to Feb	White or grey-white sand over limestone, brown sand or brown sandy clay over granite. Coastal foredunes, rock crevices in cliffs, base of cliffs, salt marshes.
Melaleuca						
A	conothamnoides		0.3-1.5m	purple-pink	Apr or Jun or Sep to Nov	Yellow sand, loam, laterite. Sandplains.
A	cuticularis	Saltwater Paperback	1-7m	white-cream	Aug to Nov	Alluvium, sand, clay. Winter-wet depressions, salt lakes, coastal areas, along watercourses.
A	elliptica	Granite Bottlebrush	1-4m	red	Jun or Sep to Dec or Jan	Sandy soils. Granite rocks.
A	fulgens steedmanii		0.4-3m	red-pink/white	Jul to Nov	Sandy soils over granite or sandstone. Granite outcrops, sandplains.
A	hamulosa		1-6m	white-pink	Sep to Dec or Jan	Sandy soils. Winter-wet flats, saline depressions, swamps, granite outcrops.

Price Code	Botanical Name	Common Name	Height (m)	Flower Colour	Flowers	Soil
Melaleuca						
A	huegelii	Chenille Honey Myrtle	0.5-5m	pink/white/pink-purple	Sep to Dec or Jan	Sand. Limestone cliffs, coastal plains & dunes.
A	incana	Grey Honey Myrtle	0.4-5m	white-cream-yellow	May to Nov	Red-grey-brown sand, sandy clay over ironstone. Seasonally wet flats & depressions, swamps.
A	lanceolata	Rottnest Tea Tree	1-8m	white-cream	Jan to Sep	Limestone, clay or loam, brown or grey or white sand. Limestone ridges, coastal cliffs and dunes, salt flats, near salt lakes.
A	lateriflora	Gorada	1-8m	white-cream	Sep to Dec or Jan to Feb	Sandy or clayey soils. Winter-wet flats, floodplains, creek lines, swampy & saline flats.
A	lateritia	Robin Red Breast	To 2.5m	red-orange	Sep to Dec or Jan to Apr	Black, grey or brown clay, dark brown sandy loam, yellow brown sandy clay, granite. Swampy areas.
A	nesophila	Snowy Honey Myrtle	0.6-2.5m	pink-purple	Sep to Dec or Jan	Sandy Soils
A	preissiana	Stout Paperback	2-9m	yellow-cream-white	Nov to Dec or Jan to Feb	Sandy soils. Swamps.
A	pulchella	Claw Flower	0.3-1.7m	pink-purple	May to Jul or Oct to Dec or Jan to Mar	Sandy soils. Sandplains, sand dunes, swamps, depressions.
A	radula	Graceful Honey Myrtle	0.3-2.4m	pink-purple/white	Jul to Nov	Sandy, often gravelly soils over granite or laterite. Associated with granite rocks or watercourses.
A	rhaphiophylla	Swamp Paperback	0.2-10m	white-cream	Jul or Sep to Dec or Jan	White or grey sand, clay soils, limestone. Saltmarshes, swamps, along watercourses.
A	scabra	Rough Honey Myrtle	0.2-1.5m	pink-red-purple	Jan or Apr or Aug to Dec	Sandy or clay, often lateritic soils.
A	seriata		0.25-1m	pink-purple-red	Aug to Dec	White, grey or yellow sand over laterite or clay, clay loam. Ridges, sandplains, winter-wet depressions.
A	spathulata		0.2-2m	pink-purple-red	Sep to Dec	Grey sand, sandy clay, laterite, sandy gravel. Seasonally wet flats, low ridges.
A	systema	Coastal Honey Myrtle	0.5-2m	yellow-cream	Feb to Mar or Aug to Dec	Sand over laterite, yellow/orange sand over limestone. Coastal stabilised dunes & rocky limestone.
A	thymoides		0.4-2m	cream-yellow	Sep to Dec or Jan	Sandy soils, often over laterite or granite. Winter-wet depressions, granite hills, sand dunes.
A	teretifolia	Banbar	1-5m	white cream pink	Oct to Dec or Jan or Mar	Sandy soils, clay. Winter-wet depressions, swamps.
A	trichophylla	Rough Honey Myrtle	0.15-1m	pink-purple	Aug to Dec	White/grey/orange sand, gravel, laterite. Sandplains, hillsides.
A	uncinata	Broom Honey Myrtle	0.5-5m	white-cream-yellow	Feb to Mar or Jul to Dec	Sandy or clayey soils, laterite. Sandplains, winter-wet depressions, saline flats.
A	viminea	Mohan	0.6-5m	white-cream	Jul to Nov	Sandy or clayey soils. Near creeks or wet depressions, along watercourses, rocky coastal areas, flats.

Price Code	Botanical Name	Common Name	Height (m)	Flower Colour	Flowers	Soil
Olearia						
B	axillaris	Coastal Daisy Bush	.5-3m	white-cream-yellow	Jan to Jul or Nov to Dec	White/grey or red sand, loam. Coastal limestone & sand dunes, rocky hillsides.
Orthrosanthus						
B	laxus	Morning Iris	0.15-0.55	blue	Aug to Nov	
Paraserianthes						
A	lophantha		1-10m	yellow/green-yellow	Apr to Oct	Sandy or granitic soils. Winter-wet depressions, near creeks or swamps, granite outcrops.
Patersonia						
B	occidentalis	Purple Flag	To 1.5m	Purple	Aug to Dec or Jan	Grey-brown sand or sandy clay, red-brown clayey loam, gravel, laterite, ironstone, granite, limestone. Winter-wet areas, dunes, granite outcrops.
Pericalymma						
A	ellipticum	Swamp Teatree	To 3m	white-pink	Oct to Dec or Jan	Leached sand with some clayey sands, lateritic soils. In elevated areas on seasonally swampy platforms.
Pimelea						
B	ferruginea	Rice Flower	0.3-1.5m	pink	Aug to Dec or Jan to Feb	Grey or white sand. Coastal sand dunes & rocky headlands (limestone & granite).
Regelia						
B	ciliata		0.8-2m	pink-purple	Jan to Dec	White or grey sand. Winter-wet depressions.
A	inops		0.75-2m	pink-purple-blue	Jan or Mar or Jun or Oct to Dec	Sandy soils. Winter-wet depressions, sandplains.
Rhagodia						
B	baccata		0.3-2m	cream-yellow/green	Feb or Apr to May or Oct to Dec	White-grey sand, limestone, granite. Sand dunes, coastal rocky areas, hills.
Ricinocarpos						
B	Ricinocarpos sp.	Wedding Bush	0.5-3m	white	Sep to Oct	

Price Code	Botanical Name	Common Name	Height (m)	Flower Colour	Flowers	Soil
Scaevola						
B	crassifolia	Thick Leaved Fan Flower	0.1-1.5m	blue/white	Jul to Dec or Jan to Feb	Sand. Coastal dunes, plains & limestone cliffs.
Taxandria (Agonis)						
A	linearifolia	Swamp Peppermint	To 5m	white	Mar to May or Sep to Dec	Loam, clay or sand, gravel, quartzite, laterite. Bordering swamps & watercourses.
Templetonia						
A	retusa	Cookies Tongue	3-4m	red/white-yellow	Apr to Nov	White sand, red clay, brown and white gravel, limestone. Plateaus, coastal cliffs, hillsides, road verges.
Thryptomene						
B	saxicola		0.33-1.5m	white/pink	Feb to Nov	Sandy or loamy soils. Granite outcrops & hills.
Verticordia						
B	densiflora	Compacted Feather flower	0.25-2m	pink-purple-white/cream-yellow	Sep to Dec or Jan to Feb	Sand, clay, loam & gravelly soils. Sandplains, low-lying flats & winter-wet areas.
B	plumosa	Plumed Feather flower	0.2-1.5m	pink-blue-purple-red-white	Jul to Dec or Jan to Feb	Sandy or clay soils, gravel, granite. Seasonally wet situations, rock outcrops, undulating plains, hills, road verges.
Viminaria						
A	juncea	Swish Bush	1-4m	yellow	Oct to Dec or Jan	Sandy & clay soils. Near lakes & swamps, river banks, winter-wet depressions.
Xanthorrhoea						
C	preissii	Grass Tree	To 5m	white-cream	Jun or Aug to Dec	Grey to black sands, grey-brown loam, brown gravelly sandy clay, laterite, granite. Ranges, coastal plain, near watercourses.